Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
RECORD MANAGEME	NT	Description	Туре	Lengin	validity	Value Descriptions		CIUSSCHECK
ConsumerID	N/A	Consumer ID	text	11	Always applies.		* Only alphanumeric characters are valid, the only exceptions are a hyphen (-) or an underscore (_). * First character must be an alphanumeric character.	
GrantID	N/A	Grant ID (Grant/Contract/Cooperative Agreement)	text	20	Always applies.		* Must already be in the SPARS CMHS system, and user must be authorized to access it.	
SiteID	N/A	Site ID	text	11	Always applies.		* Must already be in the SPARS CMHS system under the provided GrantID, and user must be authorized to access it.	
InterviewType_07	N/A	Interview Type	integer	N/A	Retained for Data Download purposes, but no longer applies. Replaced by "Assessment".	1 = Baseline 2 = 3 Month Reassessment (NO LONGER ALLOWED - RETAIN)		* If previous InterviewType=4 (clinical discharge) then subsequent InterviewType=tage and the subsequent InterviewType=2 (3 Month Reasessment) for the same episode unless a baseline has been entered. * Do not allow InterviewType=2 (3 Month Reasessment), if an InterviewType=2 has already been entered in same reasessment Window or ReasessmentStatus=31 (no contact within 90 days of last service). * Do not allow InterviewType=2 (3 Month Reasessment) for the same episode after a Discharge has already been
						3 = 6 Month Reassessment		entered. * Do not allow InterviewType=3 (6 Month Reassessment) for the same episode unless a baseline has been entered. * Do not allow InterviewType=3 (6 Month Reassessment), if an InterviewType=3 bas already been entered in same reassessment window or ReassessmentStatus=31 (no contact within 90 days of last service). * Do not allow InterviewType=3 (6 Month Reassessment) for the same episode after a Discharge has already been entered.
						4 = Clinical Discharge		* Do not allow InterviewType=4 (Discharge) for the same episode unless a baseline has been entered.
ConsumerType_07	N/A	Consumer Type	integer	N/A	Retained for Data Download purposes, but no longer applies.	1 = New 2 = Continuing -4 = N/A - archived field	 Not valid if InterviewType = 2, 3 or 4 (non-baselines). Code 1'1 (New) is valid only if the consumer began receiving services under the grant on or after the CMHS target start date -AND- if the Consumer/D is not already in the SPARS CMHS system under the same grant. Not valid if InterviewType = 2, 3 or 4 (non-baselines). Code 2' (Continuing) is valid only if the consumer was receiving services under the grant before the CMHS target date (regardless of whether the baseline interview occurred before or after the CMHS target date) -OR- if a previous baseline has already been entered for this Consumer10 under the same grant. This N/A code is not valid for data entry. It is for Data Download purposes only. 	If this code appears at baseline, then the same code will appear throughout all interview types within the same episode of care. If this code appears at baseline, then the same code will appear throughout all interview types within the same episode of care. If this code appears at baseline, then the same code will appear throughout all interview types within the same pisode of care.
Decessory anthumber	NZA	Decessory Number	teut	NI/A	Patained for Data Doumland	0201 = 1et 2 Month Decessory	t Velidentu if Interview Ture = 0. er 0	within the same episode of care.
ReassessmentNumber_ 07	N/A	Reassessment Number	text	N/A	Retained for Data Download purposes, but no longer applies. Replaced by "Assessment".	0301 = 1st 3 Month Reassessment 0302 = 2nd 3 Month Reassessment	 Valid only if InterviewType = 2 or 3. 3-month categories are not valid for programs that use 6- month reassessments. 6- month categories are not valid for programs that use 3-month reassessments. 	* The current Reassessment Number entered must be greater than a Reassessment Number from all previous interviews. * The Reassessment Number must match the corresponding reassessment window.
						1303 = 3rd 3 Month Reassessment 0304 = 4th 3 Month Reassessment 0305 = 5th 3 Month Reassessment 0306 = 6th 3 Month Reassessment 0307 = 7th 3 Month Reassessment 0309 = 9th 3 Month Reassessment 0309 = 9th 3 Month Reassessment 0309 = 9th 3 Month Reassessment 0310 = 9th 3 Month Reassessment 0311 = 11th 3 Month Reassessment 0312 = 12th 3 Month Reassessment 0313 = 13th 3 Month Reassessment 0314 = 14th 3 Month Reassessment 0315 = 15th 3 Month Reassessment 0316 = 16th 3 Month Reassessment 0317 = 17th 3 Month Reassessment 0317 = 17th 3 Month Reassessment 0318 = 18th 3 Month Reassessment 0319 = 19th 3 Month Reassessment 0321 = 21th 3 Month Reassessment 0321 = 22th 3 Month Reassessmen	* This N/A code is not valid for data entry. It is for Data Download purposes only.	

SPARS CMHS Child/Caregiver Consumer NOMs Tool - Codebook for Data Download

	Question		Data					
Field Name Assessment	Number	Description Indicate Assessment Type:	Type text	Length	Validity Always applies.	Value Descriptions 0600 = Baseline Assessment	Edit and Skip Information	Crosscheck * If previous assessment was a clinical discharge
Assessment	1	Indicate Assessment Type:	text	4	Aways applies.	0000 = Baseline Assessment		If previous assessment was a clinical discharge (Assessment = 0699), then the subsequent assessment must be a baseline assessment (Assessment = 0600), in which case, a new episode of care has occurred.
						0301 = 3 Month Reassessment	* Valid only for the following grant programs: PBHCI, PIPBHC-C, PIPBHC, CCBHC-E .	must be greater than a Reassessment Number
							* Valid only if InterviewType = 2 or 3. * 3-month categories are not valid for programs that use 6-month reassessments. 6-month categories are not valid for programs that use 3-month reassessments.	from all previous interviews.
						0302 = 6 Month Reassessment	······································	* The Reassessment Number must match the corresponding reassessment window.
						0303 = 9 Month Reassessment 0304 = 12 Month Reassessment		
						0305 = 15 Month Reassessment		
						0306 = 18 Month Reassessment 0307 = 21 Month Reassessment		
						0308 = 24 Month Reassessment		
						0309 = 27 Month Reassessment		
						0310 = 30 Month Reassessment		
						0311 = 33 Month Reassessment 0312 = 36 Month Reassessment		
						0312 = 36 Month Reassessment 0313 = 39 Month Reassessment		
						0314 = 42 Month Reassessment		
						0315 = 45 Month Reassessment		
						0316 = 48 Month Reassessment		
						0317 = 51 Month Reassessment 0318 = 54 Month Reassessment		
						0319 = 57 Month Reassessment		
						0320 = 60 Month Reassessment		
						0321 = 63 Month Reassessment		
						0322 = 66 Month Reassessment 0323 = 69 Month Reassessment		
						0601 = 6-Month Reassessment	* 3-month categories are not valid for programs that use 6-month reassessments. 6-	* New assessments must be greater than all other
							month categories are not valid for programs that use 3-month reassessments.	A seessments currently saved for the same episode of care. If InterviewDate occurs between two reassessment windows (Assessment = 0601 to 0611) then the user must select the appropriate Assessment Number from the two window's in question, otherwise the system will select the appropriate window base on InterviewDate. * Do not allow a reassessment (Assessment = 0601 to 0611) for the same episode if a reassessment window or no contact within 90 days of last service (NoContact90Days = 0) has been previously entered.
						0602 = 12-Month Reassessment 0603 = 18-Month Reassessment 0604 = 24-Month Reassessment 0606 = 30-Month Reassessment 0607 = 42-Month Reassessment 0608 = 48-Month Reassessment 0609 = 54-Month Reassessment 0619 = 54-Month Reassessment 0619 = 54-Month Reassessment		
						0611 = 66-Month Reassessment 0699 = Clinical Discharge		* Do not allow InterviewType=4 (Discharge) for the same opisode unless a baseline has been entered. * Do not allow InterviewType=4 (Discharge) if another Discharge has been previously saved for the same episode."
						-1 = N/A (Not Applicable) -5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	Applies only where formerly ReassessmentNumber = (0301, 0303, 0305, 0307, 0309, 0311, 0313, 0315, 0317, 0319, 0321, 0323) and InterviewType = 2.

	Question		Data					
Field Name	Number	Description	Type	Length	Validity	Value Descriptions 0 = No	Edit and Skip Information *Admin Baseline Assessment(Assessment = 0600; ConductedInterview = 0):	Crosscheck
ConductedInterview	2	Was the interview conducted?	integer	N/A	Always applies.	0 = No	*Admin Baseline Assessment(Assessment = 0600; ConductedInterview = 0): * Only Section A - Demographic Data is required.	* If this is an Admin Reassessment, then the day it was first saved into CMHS (CreateDate) must be 2 first day of its reassessment window and < the first day of its next
WhyNotConducted	2	Why not? Choose only one.	integer	1	* Only applicable if an interview	1 = Yes 1 = Not able to obtain consent from proxy	*Admin Reassessment (Assessment = 0601 to 0611; ConductedInterview = 0): *Only Sections I & K are required. * Admin Discharge (Assessment = 0699; ConductedInterview = 0): *Only Sections J & K are required. * Baseline Interview (Assessment = 0600; ConductedInterview = 1): Section A through E and G are required for al cases. * Reassessment Interview (Assessment = 0601 to 0611; ConductedInterview = 1): The Record Management portion of Section A. The functioning portion of sections B, Violence and Trauma portion Q9 only, Section C through G, and Sections B, Violence and required for al cases. * Discharge Interview (Assessment = 0699; ConductedInterview = 1): The Record Management portion of Sections B, Violence and rrauma portion Q9 only, Section C through G, and Sections B, Violence and rrauma portion Q9 only. Section C through G, and Sections B, Violence and rrauma portion Q9 only. Section C through G, and Sections B, Violence and rrauma portion Q9 only. Section C through G, and Sections B, Violence and reases. * Only applicable if an interview was not conducted (ConductedInterview = 0). Else,	reassessment window.
WhyNotConducted 10	2	Why was the interview not conducted?	integer	1 N/A	Conjugable if an interview was not conducted (ConductedInterview = 0).	1 = Not able to obtain consent from proxy 2 = Consumer was impaired or unable to provide consent 3 = Consumer refused this interview only 4 = Consumer was not reached for interview 5 = Consumer refused all interviews -1 = N/A (Not Applicable) -5 = NOT ASKED ON PREVIOUS NOMS TOOL	This N/A code is not valid for data entry. It is for Data Download purposes only.	Codec only for questions not asked on previous versions of the CMHS NOMs tools.
vvnjvoconduced_10		virig was the interview for concucted ?	n neger	NVA	Retained for Data Download purposes, but no longer applies.	1 = Consumer refused interview 2 = Not able to obtain consent from proxy 3 = Consumer was impaired/unable to provide consent 4 = Consumer cannot be reached for interview 5 = Staff previously indicated "Administrative data only" or "No data" would be submitted -1 = N/A (Not Applicable) -4 = N/A - archived field -5 = NOT ASKED ON PREVIOUS NOMS TOOL	 * Applicable only to a reassessment or a clinical discharge (Assessment = 0601 to 0699). * Applicable only to a reassessment or a clinical discharge (Assessment = 0601 to 0699). * This code cannot be selected by the user. It is preselected based on a prior interview selection from the user (see crosscheck for details). * This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only. 	* Must be entered for each reassessment due for the consumer before the start of the next reassessment interview window. * If a reassessment or clinical discharge (Assessment = 0601 to 0699) and a previous interview had Administrative data only [Record Management, Sections I or J, & K] – will not attempt any subsequent interviews (NextReassessment = 2), then the system will pre- fill that an interview was not conducted (ConductedInterview = 0) and Staff previously indicated *Administrative data only* or *No Data* would be submitted (WhyNotConducted = 5). * If a clinical discharge (Assessment = 699) and a previous interview indicated No data - will only provide discharge status (Record Managemt & Section J) when the consumer is discharged (NextReassessment = 3), then the system will pre- fill that an interview was not conducted (ConductedInterview = 0) and that Staff previously indicated *Administrative at an only* or *No data* would be submitted (WhyNotConducted = 5). * Coded only for questions not asked on previous versions of the

Field Name	Question Number	Description	Data Type	Lenath	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
	Number N/A	What data will be submitted for the next	integer	N/A	Retained for Data Download	value Descriptions	Edit and Skip information	Crosscheck
		reassessment?	5		purposes, but no longer applies.	1 = Interview data 2 = Administrative data only - [Record Management, Sections I or J &K] – will not attempt any subsequent interviews.		If Administrative data only [Record Management and Sections I or J & KJ – will not attempt any subsequent interviews (NextReassessment = 2), then: - All future reassessment records will be pre-filled so that an interview was not conducted
						3 = No data – will only provide discharge status [Record Management & Section J] when discharged.		[ConductedInterview = 0], Staff previously indicated Administrative data only" or "No data" would be submitted (WhyNotConducted = 5), and NextReassessment = 2. Only the Record Management and Sections I and K will be submitted. - Clinical discharge record will be pre-filled so that an interview was not conducted (ConductedInterview = 0), Staff previously indicated 'Administrative data only" or "No data" would be submitted (WhyNotConducted = 5), MextReassessment = -1. Only the Record Management and Sections J and K will be submitted " If No data - will only provide discharge status " flow data - will only provide discharge status " How data - will only provide discharge status " e Future reassessment records will not be permitted. - Clinical Discharge record will be pre-filed so tha an interview was not conducted (ConductedInterview = 0), Staff previously indicated "Administrative data only" or "No data" would be submitted (WhyNotConducted = 5), and WaxReassessment = -1. Only the Record Management and Section J when the conductedInterview = 0), Staff previously indicated "Administrative data only" or "No data" would be submitted (WhyNotConducted = 5), and WaxReassessent = -1. Only the Record Management and Section J will be submitted. -No Services data will allowed in Section K -
						-1 = N/A (Not Applicable) -4 = N/A - archived field	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	Services Received If ConductedInterview = 1 (Yes) or Assessment = 0699 (Clinical Discharge.
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the CMHS NOMs tools.
SubmittedAtClinicalDisc harge_10		[CLINICAL DISCHARGE ONLY] What data will be submitted for this Clinical Discharge?	integer	N/A	Retained for Data Download purposes, but no longer applies.	1 = Administrative data only - [Record Management and Sections J &K] 2 = No data - will only provide discharge status [Record Management & Section J] -1 = N/A (Not Applicable)	* Applicable only if an interview was not conducted (ConductedInterview = 0) at Clinical Discharge (Assessment = 0699) and Consumer (Fused Interview, Not able to obtain consent from proxy, Consumer was impaired/unable to provide consent or Consumer cannot be reached for interview (WhyNotConducted = 1, 2, 3 or 4) * If ConductedInterView = 1 (Yes) or Assessment = 0600 - 0611 then set SubmittedAtClinicaDischarge = -1. * Only the Record Management and Sections J and K will be submitted for this Clinical Discharge record. * Only the Record Management and Section J will be submitted for this Clinical Discharge record. * Only the Record Management and Section J will be submitted for this Clinical Discharge record. * This N/A code is not valid for data entry. It is for Data Download purposes only.	I If ConductedInterview = 1 (Yes) or Assessment = 0699 (Clinical Discharce.
						-4 = N/A - archived field -5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Downbad purposes only. * This N/A code is not valid for data entry. It is for Data Downbad purposes only.	* Coded only for questions not asked on previous versions of the
InterviewDate :	3	When?	date	10	Applies only when an interview was conducted (ConductedInterview = 1).	Collected as MM/DD/YYYY date format. Date entered will be converted to datetime format 01/01/1869 = N/A (Not Applicable)	 Valid interview date must be ≥ grant's goal start date. The interview date must be ≤ current date. The interview date must be < grant's inactivate date The interview date must be of data entry. It is for Data Download purposes only. 	CMH5 NOMs tools. The assessment's interview date must be > previous conducted or attempted assessment's interview date. If this is a baseline (Assessment = 600) and interview was not conducted (ConductedInterview = 0) then the interview date is not applicable (InterviewDate=01/01/1669) * If this is a reassessment or discharge (Assessment = 0601 to 0699) and interview was not conducted (ConductedInterview = 0) then the interview date is not applicable (InterviewDate = 01/01/1869)
FirstReceivedServicesD ate		[Enter the month and year when the consumer first received services under the grant for this episode of care.]	text	7	Applies only at baseline (Assessment = 600)	Collected as MMYYYY text format. Date entered will be converted to datetime with the day defaulted to the 15th. For MM: 01 - 12 = Jan - Dec 01/01/1869 = N/A (Not Applicable) 05/01/1869 = NOT ASKED ON PREVIOUS NOMS	 Valid only for baselines (Assessment = 0600) FirstReceivedServicesDate must be ≥ MM/YYYY of grant's Start Date FirstReceivedServicesDate must be ≤ MM/YYYY of InterviewDate "FirstReceivedServicesDate must be ≤ Current MM/YYYY Year portion must be in 4 digit format. This N/A code is not valid for data entry. It is for Data Download purposes only. This N/A code is not valid for data entry. It is for Data Download purposes only. 	For a reassessment or discharge (Assessment = 0601 to 0699), this date is not applicable (FirstReceivedServicesDate = 01/01/1669). For records collect with the previous version of th

	Question		Data					
Field Name RespondentType	5 Number	Description [IF AN INTERVIEW WAS CONDUCTED],	Type integer	Length N/A	Validity Always applies.	Value Descriptions 1 = Child [PREFER CHILD AGE 11 AND OLDER]	Edit and Skip Information Only applicable if ConductedInterview = 1 (Yes). Otherwise, set to -1 (N/A).	Crosscheck
noopondonin ypo	5	Was the	integer		/ and yo approve.			
		respondent the child or the caregiver?				2 = Caregiver		* If an interview was conducted
								(ConductedInterview = 1) and respondent is the
								caregiver (RespondentType = 2), then set all fields from B3a to B4I to not applicable (-6 = NOT
								APPLICABLE, CAREGIVER).
						-1 = N/A (Not Applicable) -5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data	* Coded only for questions not asked on previous
							Download purposes only.	versions of the
FFY	System Derived	Federal Fiscal Year (Calculated field based	integer	N/A	Always applies.	2002 - Current Year + 1	* This field does not apply to data entry. For Data Download and Administrative	CMHS NOMs tools.
		on InterviewDate)					purposes only. * If current month is between October and December, FFY is set to the next calendar	
							year (i.e. Current Year + 1).	
					AL		Otherwise FFY is set to the current calendar year.	
Quarter	System Derived	(Calculated field based on InterviewDate)	integer	N/A	Always applies.	1 = October - December	* This field does not apply to data entry. For Data Download and Administrative purposes only.	
						2 = January - March	* For All Baseline Assessment records (Assessment = 0600), set based on InterviewDate.	
							* For All Reassessment records (Assessment equals 0601 to 0611), set based on	
							Reassessment Due Date, calculated as 180 intervals from Baseline Interview Date. * For All Clinical Discharge records (Assessment = 0699), set based on MM and	
							YYYY of Discharge Date in Section J	
						3 = April - June 4 = July - September		
						,		
Month	System Derived	(Calculated field based on InterviewDate)	integer	N/A	Always applies.	Month as digit (01 - 12)	* This field does not apply to data entry. For Data Download and Administrative purposes only.	
							* For All Baseline Assessment records (Assessment = 0600), set based on	
							InterviewDate. * For All Reassessment records (Assessment equals 0601 to 0611), set based on	
							Reassessment Due Date, calculated as 180 intervals from Baseline Interview Date.	
							* For All Clinical Discharge records (Assessment = 0699), set based on MM and YYYY of Discharge Date in Section J	
RecordStatus	System Derived	Record Status	integer	N/A	Always applies.	0 = Active	* This field does not apply to data entry. For Data Download and Administrative purposes only.	* An Interview is marked Active when submitted * If a new baseline is entered (Assessment =
								0600), then the previous baseline (and its
								associated assessments) are set to inactive (RecordStatus = 1).
								* If the latest baseline (and its associated
								assessments) is deleted, the system will set the previous baseline (and its associated
						1 = Inactive		assessments). to active (RecordStatus = 0) * System will not allow add/edit of any baseline (and
								its associated assessments) which are inactive
								(RecordStatus = 1).
ICD-10-CM: BEHAVIOR	AL HEALTH DIAG	INOSES						
Please indicate the cor					ion of Diseases 10th revisio	n, Clinical Modification (ICD-10-CM) codes listed be	low	
	sumer's current l	pehavioral health diagnoses using the Inf	ternationa	I Classificat				
Please note that some	nsumer's current l substance use di	pehavioral health diagnoses using the Int sorder ICD-10-CM codes have been cross	ternationa walked to	Diagnostic	and Statistical Manual of Mer	ital Disorders, (DSM-5) descriptors.		
Please note that some	substance use di	sorder ICD-10-CM codes have been cross	walked to	Diagnostic	and Statistical Manual of Mer	tal Disorders, (DSM-5) descriptors.		
Please note that some Select up to three diag	substance use di noses. For each d	sorder ICD-10-CM codes have been cross iagnosis selected, please indicate wheth	walked to er it is pri	Diagnostic	and Statistical Manual of Mer Jary, or tertiary, if known. On	tal Disorders, (DSM-5) descriptors. Iy one diagnosis can be primary, only one can be so	econdary, and only one can be tertiary.	ſ
Please note that some	substance use di	sorder ICD-10-CM codes have been cross	walked to	Diagnostic	and Statistical Manual of Mer	tal Disorders, (DSM-5) descriptors.	condary, and only one can be tertiary. IF DiagnosisOne = -8 or -10 then: If baseline, skip to section A.	
Please note that some Select up to three diag	substance use di noses. For each d	sorder ICD-10-CM codes have been cross iagnosis selected, please indicate wheth	walked to er it is pri	Diagnostic	and Statistical Manual of Mer Jary, or tertiary, if known. On	tal Disorders, (DSM-5) descriptors. Iy one diagnosis can be primary, only one can be so	econdary, and only one can be tertiary. IF DiagnosisOne = -8 or -10 then: If baseline, skip to section A. If reassessment, skip to section B (if interview conducted) or section I (if interview	
Please note that some Select up to three diag	substance use di noses. For each d	sorder ICD-10-CM codes have been cross iagnosis selected, please indicate wheth	walked to er it is pri	Diagnostic	and Statistical Manual of Mer Jary, or tertiary, if known. On	tal Disorders, (DSM-5) descriptors. Iy one diagnosis can be primary, only one can be so	IF DiagnosisOne = -8 or -10 then: IF DiagnosisOne = -8 or -10 then: If baseline, skip to section A. If reassessment, skip to section B (if interview conducted) or section I (if interview not conducted). If clinical discharge, skip to section B (if interview conducted) or section J (if	
Please note that some is Select up to three diagonal DiagnosisOne	substance use di noses. For each d Diagnosis:	sorder ICD-10-CM codes have been cross iagnosis selected, please indicate wheth	walked to er it is pri	Diagnostic	and Statistical Manual of Mer Jary, or tertiary, if known. On	tal Disorders, (DSM-5) descriptors. Iy one diagnosis can be primary, only one can be so	Condary, and only one can be tertiary. IF DiagnosisOne =-8 or -10 then: If baseline, skip to section A. If reassessment, skip to section B (if interview conducted) or section I (if interview not conducted).	Only one diagnosis can be primary, only one can
Please note that some is Select up to three diagonal DiagnosisOne	substance use di noses. For each d Diagnosis:	sorder ICD-10-CM codes have been cross iagnosis selected, please indicate wheth Substance Use Disorder Diagnosis 1	walked to	Diagnostic mary, secon N/A	and Statistical Manual of Mer <mark>Jary, or tertiary, if known. On</mark> Always applies.	tal Disorders, (DSM-5) descriptors. Iy one diagnosis can be primary, only one can be so See ICD10_Diagnosis3 Value Definitions	IF DiagnosisOne = -8 or -10 then: IF DiagnosisOne = -8 or -10 then: If baseline, skip to section A. If reassessment, skip to section B (if interview conducted) or section I (if interview not conducted). If clinical discharge, skip to section B (if interview conducted) or section J (if	Only one diagnosis can be primary, only one can be secondary, and only one can be tertiary.
Please note that some is Select up to three diagonal DiagnosisOne	substance use di noses. For each d Diagnosis:	sorder ICD-10-CM codes have been cross lagnosis selected, please indicate wheth Substance Use Disorder Diagnosis 1 Substance Use Disorder Diagnosis 1 -	walked to	Diagnostic mary, secon N/A	and Statistical Manual of Mer <mark>Jary, or tertiary, if known. On</mark> Always applies.	tal Disorders, (DSM-5) descriptors. Iy one diagnosis can be primary, only one can be so See ICD10_Diagnosis3 Value Definitions	IF DiagnosisOne = -8 or -10 then: IF DiagnosisOne = -8 or -10 then: If baseline, skip to section A. If reassessment, skip to section B (if interview conducted) or section I (if interview not conducted). If clinical discharge, skip to section B (if interview conducted) or section J (if	be secondary, and only one can be tertiary.
Please note that some a Select up to three diago DiagnosisOne	substance use di noses. For each d Diagnosis:	sorder ICD-10-CM codes have been cross lagnosis selected, please indicate wheth Substance Use Disorder Diagnosis 1 Substance Use Disorder Diagnosis 1 -	walked to	Diagnostic mary, secon N/A	and Statistical Manual of Mer <mark>Jary, or tertiary, if known. On</mark> Always applies.	tal Disorders, (DSM-5) descriptors. Iy one diagnosis can be primary, only one can be so See ICD10_Diagnosis3 Value Definitions	IF DiagnosisOne = -8 or -10 then: IF DiagnosisOne = -8 or -10 then: If baseline, skip to section A. If reassessment, skip to section B (if interview conducted) or section I (if interview not conducted). If clinical discharge, skip to section B (if interview conducted) or section J (if	be secondary, and only one can be tertiary. Only 1 diagnosis per drug type may be selected. For example, only 1 alcohol disorder can be
Please note that some a Select up to three diago DiagnosisOne	substance use di noses. For each d Diagnosis:	sorder ICD-10-CM codes have been cross lagnosis selected, please indicate wheth Substance Use Disorder Diagnosis 1 Substance Use Disorder Diagnosis 1 -	walked to	Diagnostic mary, secon N/A	and Statistical Manual of Mer <mark>Jary, or tertiary, if known. On</mark> Always applies.	tal Disorders, (DSM-5) descriptors. Iy one diagnosis can be primary, only one can be so See ICD10_Diagnosis3 Value Definitions	IF DiagnosisOne = -8 or -10 then: IF DiagnosisOne = -8 or -10 then: If baseline, skip to section A. If reassessment, skip to section B (if interview conducted) or section I (if interview not conducted). If clinical discharge, skip to section B (if interview conducted) or section J (if	be secondary, and only one can be tertiary. Only 1 diagnosis per drug type may be selected.
Please note that some a Select up to three diago DiagnosisOne	substance use di noses. For each d Diagnosis:	sorder ICD-10-CM codes have been cross lagnosis selected, please indicate wheth Substance Use Disorder Diagnosis 1 Substance Use Disorder Diagnosis 1 -	walked to	Diagnostic mary, secon N/A	and Statistical Manual of Mer <mark>Jary, or tertiary, if known. On</mark> Always applies.	tal Disorders, (DSM-5) descriptors. Iy one diagnosis can be primary, only one can be so See ICD10_Diagnosis3 Value Definitions 1 = Primary 2 = Secondary	IF DiagnosisOne = -8 or -10 then: IF DiagnosisOne = -8 or -10 then: If baseline, skip to section A. If reassessment, skip to section B (if interview conducted) or section I (if interview not conducted). If clinical discharge, skip to section B (if interview conducted) or section J (if	be secondary, and only one can be tertiary. Only 1 diagnosis per drug type may be selected. For example, only 1 alcohol disorder can be selected across all three diagnosis categories
Please note that some is Select up to three diagonal DiagnosisOne	substance use di noses. For each d Diagnosis:	sorder ICD-10-CM codes have been cross lagnosis selected, please indicate wheth Substance Use Disorder Diagnosis 1 Substance Use Disorder Diagnosis 1 -	walked to	Diagnostic mary, secon N/A	and Statistical Manual of Mer <mark>Jary, or tertiary, if known. On</mark> Always applies.	tal Disorders, (DSM-5) descriptors. ly one diagnosis can be primary, only one can be so See ICD10_Diagnosis3 Value Definitions 1 = Primary 2 = Secondary 3 = Tertlary	condary, and only one can be tertiary. IF DiagnosisOne =-8 or -10 then: If baseline, skip to section A. If reassessment, skip to section B (if interview conducted) or section I (if interview not conducted). If clinical discharge, skip to section B (if interview conducted) or section J (if interview was not conducted).	be secondary, and only one can be tertiary. Only 1 diagnosis per drug type may be selected. For example, only 1 alcohol disorder can be selected across all three diagnosis categories
Please note that some a Select up to three diago DiagnosisOne	substance use di noses. For each d Diagnosis:	sorder ICD-10-CM codes have been cross lagnosis selected, please indicate wheth Substance Use Disorder Diagnosis 1 Substance Use Disorder Diagnosis 1 -	walked to	Diagnostic mary, secon N/A	and Statistical Manual of Mer <mark>Jary, or tertiary, if known. On</mark> Always applies.	tal Disorders, (DSM-5) descriptors. Iy one diagnosis can be primary, only one can be so See ICD10_Diagnosis3 Value Definitions 1 = Primary 2 = Secondary	IF DiagnosisOne = -8 or -10 then: IF DiagnosisOne = -8 or -10 then: If baseline, skip to section A. If reassessment, skip to section B (if interview conducted) or section I (if interview not conducted). If clinical discharge, skip to section B (if interview conducted) or section J (if	be secondary, and only one can be tertiary. Only 1 diagnosis per drug type may be selected. For example, only 1 alcohol disorder can be selected across all three diagnosis categories

	Question			Data					
Field Name DiagnosisTwoCategory	Number Category:	Substance I Is	Description se Disorder Diagnosis 2 -	Type integer	Length N/A	Validity Always applies.	Value Descriptions	Edit and Skip Information	Crosscheck Only one diagnosis can be primary, only one can
Diagnosis i wocategoi y	Category.	Category	se Disorder Diagnosis 2 -	Integer	19/25	Aiways applies.	1 – Frinaly		be secondary, and only one can be tertiary.
									Only 1 diagnosis per drug type may be selected. For example, only 1 alcohol disorder can be
									selected across all three diagnosis categories
									(primary, secondary, and tertiary)
							2 = Secondary		
							3 = Tertiary		
							-1 = N/A (Not Applicable), not asked on previous	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
							NOMS Tool		
DiagnosisThree	Diagnosis:	Substance Us	se Disorder Diagnosis 3	integer	N/A	Always applies.	1 = F10.10 – Alcohol use disorder, uncomplicated, mild		
							2 = F10.11 – Alcohol use disorder, mild, in remission		
							3 = F10.20 – Alcohol use disorder, uncomplicated,		
							moderate/severe		
							4 = F10.21 – Alcohol use disorder, moderate/severe, in remission		
							5 = F10.9 – Alcohol use, unspecified		
							6 = F11.10 - Opioid use disorder, uncomplicated, mild		
							7 = F11.11 – Opioid use disorder, mild, in remission		
							8 = F11.20 – Opioid use disorder, uncomplicated, moderate/severe		
							9 = F11.21 – Opioid use disorder, moderate/severe, in		
							remission		
		1					10 = F11.9 – Opioid use, unspecified		
							11 = F12.10 - Cannabis use disorder, uncomplicated, mild		
		1					12 = F12.11 - Cannabis use disorder, mild, in		
		1					remission		
							13 = F12.20 – Cannabis use disorder, uncomplicated,		
							moderate/severe 14 = F12.21 – Cannabis use disorder,		
							moderate/severe, in remission		
							15 = F12.9 - Cannabis use, unspecified		
							16 = F13.10 – Sedative, hypnotic, or anxiolytic use disorder, uncomplicated, mild		
							17 = F13.11 – Sedative, hypnotic, or anxiolytic use		
							disorder, mild, in remission		
							18 = F13.20 - Sedative, hypnotic, or anxiolytic use		
							disorder, uncomplicated, moderate/severe 19 = F13.21 – Sedative, hypnotic, or anxiolytic use		
							disorder, moderate/severe, in remission		
							20 = F13.9 – Sedative, hypnotic, or anxiolytic use,		
							unspecified 21 = F14.10 – Cocaine use disorder, uncomplicated,		
							mild		
							22 = F14.11 - Cocaine use disorder, mild, in remission		
							23 = F14.20 - Cocaine use disorder, uncomplicated,		
							moderate/severe		
							24 = F14.21 - Cocaine use disorder, moderate/severe,		
		1					in remission 25 = F14.9 – Cocaine use, unspecified		
		1					26 = F15.10 – Other stimulant use disorder,		
		1					uncomplicated, mild		
		1					27 = F15.11 - Other stimulant use disorder, mild, in		
							remission 28 = F15.20 – Other stimulant use disorder,		
							uncomplicated, moderate/severe		
							29 = F15.21 – Other stimulant use disorder,		
							moderate/severe, in remission 30 = F15.9 – Other stimulant use, unspecified		
							31 = F16.10 - Hallucinogen use disorder,		
							uncomplicated, mild		
		1					32 = F16.11 – Hallucinogen use disorder, mild, in		
							remission 33 = F16.20 – Hallucinogen use disorder,		
		1					uncomplicated, moderate/severe		
							34 = F16.21 – Hallucinogen use disorder,		
		1					moderate/severe, in remission 35 = F16.9 – Hallucinogen use, unspecified		
							35 = F16.9 – Hallucinogen use, unspecified 36 = F18.10 – Inhalant use disorder, uncomplicated,		
		1					mild		
							37 = F18.11 - Inhalant use disorder, mild, in remission		
							38 = F18.20 – Inhalant use disorder, uncomplicated,		
		1					38 = F18.20 – Inhalant use disorder, uncomplicated, moderate/severe		
		1					39 = F18.21 - Inhalant use disorder, moderate/severe,		
		1					in remission 40 = F18.9 – Inhalant use, unspecified		
		1		1	I	l	40 = 1 10.9 - Innalani use, unspecified		

	Question		Data					
Field Name	Number	Description	Туре	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
						41 = F19.10 – Other psychoactive substance use disorder, uncomplicated, mild		
						42 = F19.11 – Other psychoactive substance use		
						disorder, in remission		
						43 = F19.20 – Other psychoactive substance use disorder, uncomplicated, moderate/severe		
						44 = F19.21 – Other psychoactive substance use		
						disorder, moderate/severe, in remission		
						45 = F19.9 – Other psychoactive substance use, unspecified		
						46 = F17.20 – Tobacco use disorder,		
						mild/moderate/severe		
						47 = F17.21 – Tobacco use disorder, mild/moderate/severe, in remission		
						48 = F20 – Schizophrenia		
						49 = F21 - Schizotypal disorder		
						50 = F22 – Delusional disorder		
						51 = F23 - Brief psychotic disorder		
						52 = F24 - Shared psychotic disorder		
						53 = F25 – Schizoaffective disorders		
						54 = F28 – Other psychotic disorder not due to a		
						substance or known physiological condition 55 = F29 – Unspecified psychosis not due to a		
						substance or known physiological condition		
						56 = F30 - Manic episode		
						57 = F31 – Bipolar disorder		
						58 = F32 - Major depressive disorder, single episode		
						59 = F33 – Major depressive disorder, recurrent		
						60 = F34 - Persistent mood [affective] disorders		
						61 = F39 – Unspecified mood [affective] disorder		
						62 = F40-F48 - Anxiety, dissociative, stress-related,		
						somatoform and other nonpsychotic mental disorders 63 = F50 – Eating disorders		
						64 = F51 – Sleep disorders not due to a substance or		
						known physiological condition		
						65 = F60.2 – Antisocial personality disorder		
						66 = F60.3 – Borderline personality disorder		
						67 = F60.0, F60.1, F60.4-F69 - Other personality		
						disorders 68 = F70-F79 – Intellectual disabilities		
						69 = F80-F89 – Pervasive and specific developmental		
						disorders		
						70 = F90 - Attention-deficit hyperactivity disorders		
						71 = F91 – Conduct disorders		
						72 = F93 – Emotional disorders with onset specific to		
						childhood 73 = F94 – Disorders of social functioning with onset		
						specific to childhood or adolescence		
						74 = F95 – Tic disorder		
						75 = F98 - Other behavioral and emotional disorders		
						with onset usually occurring in childhood and adolescence		
						76 = F99 – Unspecified mental disorder		
						-1 = N/A (Not Applicable), not asked on previous	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						NOMS Tool		
						-8 = DON'T KNOW		
Diagnosis Three Cate	Catagon	Substance Lice Disorder Disenseis 2	intoger	NI/A	Always applies	-10 = None of the Above		Only one diagnostic can be primary anty are
DiagnosisThreeCategor v	Galegory:	Substance Use Disorder Diagnosis 3 - Category	integer	N/A	Always applies.	1 = Primary		Only one diagnosis can be primary, only one can be secondary, and only one can be tertiary.
·								
								Only 1 diagnosis per drug type may be selected.
								For example, only 1 alcohol disorder can be selected across all three diagnosis categories
								(primary, secondary, and tertiary)
						2 = Secondary		
						3 = Tertiary		
						 -1 = N/A (Not Applicable), not asked on previous NOMS Tool 	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
SECTION A. DEMOGRA								· · · · · · · · · · · · · · · · · · ·
	A_D1	What is your [child's] gender?	integer	N/A	Applies only at baseline	1 = MALE	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
			-		(Assessment = 0600).		This type code is not valid for data entry. It is for bata bownload purposes only.	
						2 = FEMALE 3 = TRANSGENDER		
						4 = OTHER (SPECIFY)		
						-1 = N/A (Not Applicable)		
						-7 = REFUSED		
	I		1	1		-9 = MISSING DATA		

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
GenderSpec	A_D1	Other specify gender	text	50	Applies only at baseline	-1 = N/A (Not Applicable)	* Only asked when Gender = 4 ; otherwise set to -1.	
					(Assessment = 0600).		* This N/A code is not valid for data entry. It is for Data Download purposes only.	
HispanicLatino	A_D2	Are you [Is your child] Hispanic or Latino?	integer	N/A	Applies only at baseline (Assessment = 0600).	0 = NO 1 = YES	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-1 = N/A (Not Applicable) -7 = REFUSED		
EthnicCentralAmerican	A_D2	What ethnic group do you consider yourself	integer	N/A	Applies only at baseline	-9 = MISSING DATA 0 = NO	* Only asked when HispanicLatino = 1; otherwise set to -1.	
	-	[your child]?			(Assessment = 0600).	1 = YES	 If HispanicLatino = 1, at least one ethnic subgroup must be chosen or all ethnic subgroups must = refused. 	
						-1 = N/A (Not Applicable)		
						-7 = REFUSED -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
EthnicCuban	A_D2	What ethnic group do you consider yourself [your child]?	integer	N/A	Applies only at baseline (Assessment = 0600).	0 = NO	* Only asked when HispanicLatino = 1; otherwise set to -1.	
						1 = YES -1 = N/A (Not Applicable)	 If HispanicLatino = 1, at least one ethnic subgroup must be chosen or all ethnic subgroups must = refused. 	
						-7 = REFUSED		
						-9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
EthnicDominican	A_D2	What ethnic group do you consider yourself	integer	N/A	Applies only at baseline	0 = NO	* Only asked when HispanicLatino = 1; otherwise set to -1.	
	-	[your child]?	, in the second se		(Assessment = 0600).	1 = YES	* If HispanicLatino = 1, at least one ethnic subgroup must be chosen or all ethnic	
						-1 = N/A (Not Applicable)	subgroups must = refused.	
						-7 = REFUSED		
						-9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
EthnicMexican	A_D2	What ethnic group do you consider yourself	integer	N/A	Applies only at baseline	0 = NO	* Only asked when HispanicLatino = 1; otherwise set to -1.	
		[your child]?			(Assessment = 0600).	1 = YES	 If HispanicLatino = 1, at least one ethnic subgroup must be chosen or all ethnic subgroups must = refused. 	
						-1 = N/A (Not Applicable)	subgroups musi – refuseu.	
						-7 = REFUSED		
						-9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
EthnicPuertoRican	A_D2	What ethnic group do you consider yourself	integer	N/A	Applies only at baseline	0 = NO	* Only asked when HispanicLatino = 1; otherwise set to -1.	
		[your child]?			(Assessment = 0600).	1 = YES	* If HispanicLatino = 1, at least one ethnic subgroup must be chosen or all ethnic subgroups must = refused.	
						-1 = N/A (Not Applicable) -7 = REFUSED		
						-9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
EthnicSouthAmerican	A_D2	What ethnic group do you consider yourself	integer	N/A	Applies only at baseline	0 = NO	* Only asked when HispanicLatino = 1; otherwise set to -1.	
		[your child]?			(Assessment = 0600).	1 = YES	* If HispanicLatino = 1, at least one ethnic subgroup must be chosen or all ethnic subgroups must = refused.	
						-1 = N/A (Not Applicable)	subgroups musi – refuseu.	
						-7 = REFUSED -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
EthnicOther	A_D2	What ethnic group do you consider yourself	integer	N/A	Applies only at baseline	0 = NO	* Only asked when HispanicLatino = 1; otherwise set to -1.	
		[your child]?			(Assessment = 0600).	1 = YES	* If HispanicLatino = 1, at least one ethnic subgroup must be chosen or all ethnic subgroups must = refused.	
						-1 = N/A (Not Applicable)	aubyroupa muai – reiuseu.	
						-7 = REFUSED -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
EthnicOtherSpec	A_D2	Other specify ethnic group response	text	50	Applies only at baseline (Assessment = 0600).	-1 = N/A (Not Applicable)	* Only asked when EthnicOther = 1; otherwise set to -1.	
					·,		* This N/A code is not valid for data entry. It is for Data Download purposes only.	
RaceBlack	A_D3	What race do you consider yourself [your child]?	integer	N/A	Applies only at baseline (Assessment = 0600).	0 = NO	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						1 = YES		
						-1 = N/A (Not Applicable) -7 = REFUSED		
						-9 = MISSING DATA		
RaceAsian	A_D3	What race do you consider yourself [your child]?	integer	N/A	Applies only at baseline (Assessment = 0600).	0 = NO	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						1 = YES -1 = N/A (Not Applicable)		
						-1 = N/A (Not Applicable) -7 = REFUSED -9 = MISSING DATA		
RaceNativeHawaiian	A_D3	What race do you consider yourself [your	integer	N/A	Applies only at baseline	0 = NO	* This N/A code is not valid for data antry. It is for Data Download	
		child]?			(Assessment = 0600).	1 = YES	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-1 = N/A (Not Applicable) -7 = REFUSED		
						-9 = MISSING DATA		

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
RaceAlaskaNative	A_D3	What race do you consider yourself [your	integer	N/A	Applies only at baseline	0 = NO	* This N/A code is not valid for data entry. It is for Data Download purposes only.	CIUSSCHECK
	_	child]?			(Assessment = 0600).	1 = YES	 This N/A code is not valid for data entry. It is for Data Download purposes only. 	
						-1 = N/A (Not Applicable) -7 = REFUSED -9 = MISSING DATA		
RaceWhite	A_D3	What race do you consider yourself [your child]?	integer	N/A	Applies only at baseline (Assessment = 0600).	0 = NO	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						1 = YES -1 = N/A (Not Applicable)		
						-7 = REFUSED		
						-9 = MISSING DATA		
RaceAmericanIndian	A_D3	What race do you consider yourself [your child]?	integer	N/A	Applies only at baseline (Assessment = 0600).	0 = NO	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						1 = YES -1 = N/A (Not Applicable)		
						-7 = REFUSED		
DOB	A D4	What is your [your child's] month and year	text	7	Applies only at baseline	-9 = MISSING DATA Collected as MM/YYYY text format. Date entered will be	* Year portion must be in 4 digit format.	Cannot have a DOB of birthday that indicates they
		of birth?		, i	(Assessment = 0600).	converted to datetime format with the day defaulted to	* Must be at or prior to (InterviewDate - 10 years)	are more than 25 years old.
						the 15th. For MM: 01 - 12 = Jan - Dec		
						For YYYY: 1900 - (Current year)		
						07/01/1869 = REFUSED 09/01/1869 = MISSING DATA	* This appears in the Data Download as 07/01/1869 if REFUSED * This appears in the Data Download as 09/01/1869 if MISSING DATA	
Agograup	System Derived	(Calculated field based on Age)	integer	N/A	Applies only at baseline	01/01/1869 = N/A (Not Applicable) 0 = Birth to 4 years old	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This field does not apply to data entry. For Data Download and Administrative	Cannot have a DOB or birthday that indicates they
Agegroup	System Derived	(Calculated field based of Age)	integer	IN/A	(Assessment = 0600).	0 - Birtino 4 years old	purposes only.	are more than 25 years old.
						1 = Age 5 to 9 years old	* Calculated field based on Birthmonth, Birthyear and baseline InterviewDate	
						2 = Age 10 to 12 years old		
						3 = Age 13 to 15 years old 4 = Age 16 to 25 years old		*Compatible with Adult's NOMs Age Groups.
						-1 = N/A (Not Applicable)		companio marriadico recino rigo creape.
SECTION B. FUNCTIO	NING		1	I		-9 = MISSING DATA		
OverallHealth	B1	How would you rate your [your child's] overall health right now?	integer	N/A	Applies only when an interview was conducted	1 = Excellent		* Coded only for questions not asked on previous versions of the
		child sj overali nealur right now?			(ConductedInterview = 1).			CMHS NOMs tools.
						2 = Very Good 3 = Good		
						4 = Fair		
						5 = Poor -1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data	
						,	Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-7 = REFUSED -8 = DON'T KNOW		
						-9 = MISSING DATA		
HandlingDailyLife	B2a	I am [my child is] handling daily life.	integer	N/A	Applies only when an interview was conducted	1 = Strongly Disagree		
					(ConductedInterview = 1).	2 = Disagree	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						3 = Undecided		
			1			4 = Agree 5 = Strongly Agree		
	1		1			-1 = N/A (Not Applicable)		
						-7 = REFUSED -9 = MISSING DATA		
GetsAlongWithFamily	B2b	I get [my child gets] along with family	integer	N/A	Applies only when an interview	1 = Strongly Disagree		
		members.			was conducted (ConductedInterview = 1).		* This N/A code is not valid for data entry. It is for Data Download purposes only.	
					,	2 = Disagree 3 = Undecided		
						4 = Agree		
	1		1			5 = Strongly Agree -6 = N/A (Not Applicable)		
	1		1			-1 = N/A (Not Applicable)		
						-7 = REFUSED -9 = MISSING DATA		
L	1	1			1	-9 - INISSING DATA	1	1

	Question		Data					
Field Name	Number	Description	Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
GetsAlongWithFriends	B2c	I get [my child gets] along with friends and other people.	integer	N/A	Applies only when an interview was conducted	1 = Strongly Disagree		
		other people.			(ConductedInterview = 1).		* This N/A code is not valid for data entry. It is for Data Download purposes only.	
					(Conductodinic) Noti 1).	2 = Disagree		
						3 = Undecided		
						4 = Agree		
						5 = Strongly Agree		
						-1 = N/A (Not Applicable)		
						-7 = REFUSED -9 = MISSING DATA		
DoingWellinSchool	B2d	I am [my child is] doing well in school and/or	integer	N/A	Applies only when an interview	1 = Strongly Disagree		
		work.			was conducted			
					(ConductedInterview = 1).		* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						2 = Disagree		
						3 = Undecided		
						4 = Agree		
						5 = Strongly Agree -6 = N/A (Not Applicable)		
						-1 = N/A (Not Applicable)		
						-7 = REFUSED		
						-9 = MISSING DATA		
AbleToCope	B2e	I am [my child is] able to cope when things	integer	N/A	Applies only when an interview	1 = Strongly Disagree		
		go wrong.			was conducted		* This N/A code is not valid for data entry. It is for Data Download purposes only.	
					(ConductedInterview = 1).			
						2 = Disagree		
						3 = Undecided 4 = Agree		
						5 = Strongly Agree		
						-1 = N/A (Not Applicable)		
						-7 = REFUSED		
						-9 = MISSING DATA		
SatisfiedwithFamily	B2f	I am satisfied with our family life right now.	integer	N/A	Applies only when an interview	1 = Strongly Disagree		
					was conducted			
					(ConductedInterview = 1).	0 - Disserve	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						2 = Disagree 3 = Undecided		
						4 = Agree		
						5 = Strongly Agree		
						-1 = N/A (Not Applicable)		
						-7 = REFUSED		
						-9 = MISSING DATA		
Nervous	B3a	During the past 30 days, about how often	integer	N/A	Applies only when an interview	4 = All of the Time		
		did you feel nervous?			was conducted (ConductedInterview = 1).			
					(Conductedinterview = 1).	3 = Most of the Time		
						2 = Some of the Time		
						1 = A Little of the Time		
						0 = None of the Time		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data	
							Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data	* Coded only for questions not asked on previous versions of the
							Download purposes only.	CMHS NOMs tools.
						-6 = N/A (Not Applicable), CAREGIVER		*If RespondentType = 2 (CARETAKER) then set
						o nar (nor photob), or neoner		Nervous = -6.
						-7 = REFUSED		
					1	-8 = DON'T KNOW		
						-9 = MISSING DATA		
Hopeless	B3b	During the past 30 days, about how often	integer	N/A	Applies only when an interview	4 = All of the Time		
		did you feel hopeless?			was conducted (ConductedInterview = 1).			
					(Conductedinterview = 1).	3 = Most of the Time		
					1	2 = Some of the Time		
			1	1		1 = A Little of the Time		
					1	0 = None of the Time		
					1	-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data	
			1	1			Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data	* Coded only for questions not asked on previous
							Download purposes only.	versions of the CMHS NOMs tools.
						-6 = N/A (Not Applicable), CAREGIVER		*If RespondentType = 2 (CARETAKER) then set
								Hopeless = -6.
						-7 = REFUSED		
	1	1	1		1		1	
						-8 = DON'T KNOW -9 = MISSING DATA		

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
Restless	B3c	During the past 30 days, about how often	integer	N/A	Applies only when an interview	4 = All of the Time	Eur and Skip information	CIUSSCHECK
	-	did you feel restless or fidgety?	~		was conducted			
					(ConductedInterview = 1).			
						3 = Most of the Time		
						2 = Some of the Time 1 = A Little of the Time		
						0 = None of the Time		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data	
							Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data	* Coded only for questions not asked on previous
							Download purposes only.	versions of the CMHS NOMs tools.
						-6 = N/A (Not Applicable), CAREGIVER		*If RespondentType = 2 (CARETAKER) then set
								Restless = -6.
						-7 = REFUSED		
						-8 = DON'T KNOW -9 = MISSING DATA		
Depressed	B3d	During the past 30 days, about how often	integer	N/A	Applies only when an interview			
Doprocod	Dog	did you feel so depressed that nothing could	intogoi		was conducted			
		cheer you up?			(ConductedInterview = 1).			
						3 = Most of the Time		
						2 = Some of the Time		
						1 = A Little of the Time 0 = None of the Time		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data	
							Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data	* Coded only for questions not asked on previous
							Download purposes only.	versions of the
								CMHS NOMs tools.
						-6 = N/A (Not Applicable), CAREGIVER		*If RespondentType = 2 (CARETAKER) then set Depressed = -6.
						-7 = REFUSED		Depressed = -6.
						-8 = DON'T KNOW		
						-9 = MISSING DATA		
EverythingEffort	B3e	During the past 30 days, about how often	integer	N/A	Applies only when an interview	4 = All of the Time		
		did you feel that everything was an effort?			was conducted			
					(ConductedInterview = 1).	3 = Most of the Time		
						2 = Some of the Time		
						1 = A Little of the Time		
						0 = None of the Time		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	Download purposes only. * This N/A code is not valid for data entry. It is for Data	* Coded only for questions not asked on previous
						-5 - NOT ASKED ON PREVIOUS NOWS TOOL	Download purposes only.	versions of the
							Bonnioud parpoood only.	CMHS NOMs tools.
						-6 = N/A (Not Applicable), CAREGIVER		*If RespondentType = 2 (CARETAKER) then set
								EverythingEffort = 6.
						-7 = REFUSED -8 = DON'T KNOW		
						-9 = MISSING DATA		
Worthless	B3f	During the past 30 days, about how often	integer	N/A	Applies only when an interview	4 = All of the Time		
		did you feel worthless?	-		was conducted			
					(ConductedInterview = 1).	a a a a a T		
		1		1		3 = Most of the Time 2 = Some of the Time		
		1				1 = A Little of the Time		
						0 = None of the Time		
		1		1		-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data	
		1					Download purposes only.	
		1		1		-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data	* Coded only for questions not asked on previous versions of the
							Download purposes only.	CMHS NOMs tools.
		1		1		-6 = N/A (Not Applicable), CAREGIVER		*If RespondentType = 2 (CARETAKER) then set
		1		1				Worthless = -6.
						-7 = REFUSED		
		1		1		-8 = DON'T KNOW		
Tobacco Use	B4a	In the past 30 days, how often have you	integer	N/A	Applies only when an interview	-9 = MISSING DATA 1 = Never		
"obacco_ose	14 0	used tobacco products (cigarettes,	meger	IN/A	Applies only when an interview was conducted	1 - 146461		
1		chewing tobacco, cigars, etc.)?		1	(ConductedInterview = 1).			
					·	2 = Once or Twice		
		1		1		3 = Weekly		
1		1		1		4 = Daily or Almost Daily	* This N/A code is not valid for data entry it is for Dot-	
1						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
1		1		1		-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data	* Coded only for questions not asked on previous
1		1		1			Download purposes only.	versions of the
1		1		1				CMHS NOMs tools.
1						-6 = N/A (Not Applicable), CAREGIVER		*If RespondentType = 2 (CARETAKER) then set
1		1		1		-7 = REFUSED		Tobacco Use = - 6.
		1		1		-7 = REFUSED -8 = DON'T KNOW		
		1		1		-9 = MISSING DATA		
	1				1			1

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
Alcohol_Use	B4b	In the past 30 days, how often have you	integer	N/A	Applies only when an interview			Orosscheck
-		used alcoholic beverages (beer, wine,	-		was conducted			
		liquor, etc.)?			(ConductedInterview = 1).	2 = Once or Twice		
						3 = Weekly		
						4 = Daily or Almost Daily		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data	
							Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data	* Coded only for questions not asked on previous versions of the
							Download purposes only.	CMHS NOMs tools.
						-6 = N/A (Not Applicable), CAREGIVER		*If RespondentType = 2 (CARETAKER) then set Alcohol Use = -6.
						-7 = REFUSED		Alconor Ode0.
						-8 = DON'T KNOW -9 = MISSING DATA		
Al_Use_5orMore_Male	B4h1	How many times in the past 30 days have	integer	N/A	Applies only when an interview		* Only valid if Gender = 1 (Male) for current interview and SU Alcohol ≥ 2 (Once or	
AL_03C_001Worc_Walc	0401	you had five or more drinks in a day? Male	integer	19/75	was conducted		Twice). Else, code -1 = N/A.	
		respondents only.			(ConductedInterview = 1).			
						2 = Once or Twice		
						3 = Weekly		
						4 = Daily or Almost Daily -1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data	
						- I – N/A (Not Applicable)	Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data	* Coded only for questions not asked on previous
							Download purposes only.	versions of the
								CMHS NOMs tools.
						-6 = N/A (Not Applicable), CAREGIVER		*If RespondentType = 2 (CARETAKER) then set
						-7 = REFUSED		Al Use 5orMore Male = -6.
						-8 = DON'T KNOW		
						-9 = MISSING DATA		
Al_Use_4orMore_NotM	B4b2	How many times in the past 30 days have	integer	N/A	Applies only when an interview	1 = Never	* Only valid if Gender <> 1 (Male) for current interview and SU_Alcohol ≥ 2 (Once or	
ale		you had four or more drinks in a day? Not			was conducted		Twice). Else, code -1 = N/A.	
		male respondents only.			(ConductedInterview = 1).	2 = Once or Twice		
						3 = Weekly		
						4 = Daily or Almost Daily		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the
							Download purposes only.	CMHS NOMs tools.
						-6 = N/A (Not Applicable), CAREGIVER		*If RespondentType = 2 (CARETAKER) then set
								Al Use 4orMore NotMale = -6.
						-7 = REFUSED		
						-8 = DON'T KNOW -9 = MISSING DATA		
Cannabis Use	B4c	In the past 30 days, how often have you	integer	N/A	Applies only when an interview	1 = Never		
		used cannabis (marijuana, pot, grass,			was conducted			
		hash, etc.)?			(ConductedInterview = 1).			
						2 = Once or Twice		
						3 = Weekly 4 = Daily or Almost Daily		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data	
							Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data	* Coded only for questions not asked on previous
							Download purposes only.	versions of the
						-6 = N/A (Not Applicable), CAREGIVER		CMHS NOMs tools. *If RespondentType = 2 (CARETAKER) then set
	1					HA (NOT Applicable), CAILEDIVER		Cannabis Use = - 6.
	1					-7 = REFUSED		
						-8 = DON'T KNOW		
Occurrent U	D44	In the work 00 down is the first	linte e	N1/2	Analise askessky 1.4	-9 = MISSING DATA		
Cocaine_Use	B4d	In the past 30 days, how often have you used cocaine (coke, crack, etc.)?	integer	N/A	Applies only when an interview was conducted	1 = Never		
	1	useu cocaine (core, crack, etc.)?			(ConductedInterview = 1).			
	1				· · · · · · · · · · · · · · · · · · ·	2 = Once or Twice		
						3 = Weekly		
						4 = Daily or Almost Daily		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
	1					-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data	* Coded only for questions not asked on previous
							Download purposes only.	versions of the
	1							CMHS NOMs tools.
	1					-6 = N/A (Not Applicable), CAREGIVER		*If RespondentType = 2 (CARETAKER) then set
						-7 = REFUSED		Cocaine Use = - 6.
	1					-7 = REFUSED -8 = DON'T KNOW		
	1					-9 = MISSING DATA		
	•	•			•	· · ·	·	•

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
Stimulants_Use	B4e	In the past 30 days, how often have you	integer	N/A	Applies only when an interview	1 = Never	Eur and Skip information	CIUSSCHECK
		used prescription stimulants (Ritalin, Concerta, Dexedrine, Adderall, diet pills,			was conducted (ConductedInterview = 1).			
		etc.)?				2 = Once or Twice		
						3 = Weekly		
						4 = Daily or Almost Daily		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data	* Coded only for questions not asked on previous
							Download purposes only.	versions of the CMHS NOMs tools.
						-6 = N/A (Not Applicable), CAREGIVER		*If RespondentType = 2 (CARETAKER) then set Stimulants_Use = -6
						-7 = REFUSED		
						-8 = DON'T KNOW		
Meth_Use	B4f	In the past 30 days, how often have you	integer	N/A	Applies only when an interview	-9 = MISSING DATA		
	5	used methamphetamine (speed, crystal	integer		was conducted			
		meth, ice, etc.)?			(ConductedInterview = 1).			
						2 = Once or Twice 3 = Weekly		
						4 = Daily or Almost Daily		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data	
							Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the CMHS NOMs tools.
						-6 = N/A (Not Applicable), CAREGIVER		*If RespondentType = 2 (CARETAKER) then set Meth Use = -6.
						-7 = REFUSED -8 = DON'T KNOW		
						-9 = MISSING DATA		
Inhalants_Use	B4g	In the past 30 days, how often have you	integer	N/A	Applies only when an interview	1 = Never		
		usedinhalants (nitrous oxide, glue, gas, paint thinner, etc.)?			was conducted (ConductedInterview = 1).			
		paint thinner, etc.)?			(Conductedinterview = 1).	2 = Once or Twice		
						3 = Weekly		
						4 = Daily or Almost Daily		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the
						-6 = N/A (Not Applicable), CAREGIVER		CMHS NOMs tools. *If RespondentType = 2 (CARETAKER) then set Inhalants Use = - 6.
						-7 = REFUSED		initialants Use == 0.
						-8 = DON'T KNOW -9 = MISSING DATA		
Sedatives_Use	B4h	In the past 30 days, how often have you	integer	N/A	Applies only when an interview			
		used sedatives or sleeping pills (Valium, Serepax, Ativan, Librium, Xanax, Rohypnol, GHB, etc.)?			was conducted (ConductedInterview = 1).			
		GHB, etc.)?				2 = Once or Twice		
						3 = Weekly		
						4 = Daily or Almost Daily		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	 This N/A code is not valid for data entry. It is for Data Download purposes only. 	* Coded only for questions not asked on previous versions of the
						-6 = N/A (Not Applicable), CAREGIVER		CMHS NOMs tools. *If RespondentType = 2 (CARETAKER) then set Sedatives Use = - 6.
	1					-7 = REFUSED		000000000000000000000000000000000000000
						-8 = DON'T KNOW		
	D/i	In the part 20 days, have after have so	intoger	NI/A	Applies only when an interview	-9 = MISSING DATA		
Hallucinogens_Use	B4i	In the past 30 days, how often have you usedhallucinogens (LSD, acid, mushrooms, PCP, Special K, ecstasy,	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	1 = Never		
		etc.)?				2 = Once or Twice		
						2 = Once of Twice 3 = Weekly		
	1					4 = Daily or Almost Daily		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the
						-6 = N/A (Not Applicable), CAREGIVER		CMHS NOMs tools. *If RespondentType = 2 (CARETAKER) then set
	1					-7 = REFUSED		Hallucinogens Use = -6.
						-7 = REFUSED -8 = DON'T KNOW		
1	1				1	-9 = MISSING DATA		

	Question	D 14	Data					
Field Name StreetOpioids_Use	Number B4i	Description In the past 30 days, how often have you	Type integer	Length N/A	Validity Applies only when an interview	Value Descriptions 1 = Never	Edit and Skip Information	Crosscheck
		usedstreet opioids (heroin, opium, etc.)?	5		vas conducted (ConductedInterview = 1).	2 = Once or Twice 3 = Weekly 4 = Daily or Almost Daily -1 = N/A (Not Applicable) -5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data	* Coded only for questions not asked on previous
						-6 = N/A (Not Applicable), CAREGIVER -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	Download purposes only.	versions of the CMHS NOMs tools. *If RespondentType = 2 (CARETAKER) then set StreetOpiolds Use = -6.
RxOpioids_Use	B4k	In the past 30 days, how often have you usedprescription opicids (fentanyl, oxycodone (DxyContin, Percocet], hydrocodone [Vicodin], methadone, buprenorphine, etc.)?	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	2 = Once or Twice 3 = Weekly 4 = Daily or Almost Daily -1 = N/A (Not Applicable) -5 = NOT ASKED ON PREVIOUS NOMS TOOL -6 = N/A (Not Applicable), CAREGIVER	 * This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only. 	* Coded only for questions not asked on previous versions of the CMHS NOMs tools. *If RespondentType = 2 (CARETAKER) then set RXOploids_Use = -6.
0.1	D.II					-7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA		
Other_Use	841	In the past 30 days, how often have you used other – specify(e-cigarettes, etc.):	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	1 = Never 2 = Once or Twice 3 = Weekly 4 = Daily or Almost Daily -1 = N/A (Not Applicable) -5 = NOT ASKED ON PREVIOUS NOMS TOOL -6 = N/A (Not Applicable), CAREGIVER -7 = REFUSED -8 = DON'T KNOW 9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Downbad purposes only. * This N/A code is not valid for data entry. It is for Data Downbad purposes only.	* Coded only for questions not asked on previous versions of the CMHS NOMs tools. *If RespondentType = 2 (CARETAKER) then set Other Use = -6.
Other_UseSpec	B4I	Other Substance Used specify	text	50	Applies only when an interview was conducted (ConductedInterview = 1).	-1 = N/A (Not Applicable) -5 = NOT ASKED ON PREVIOUS NOMS TOOL -6 = N/A (Not Applicable), CAREGIVER	 * Only asked when SU_OTHER = 2, 3, or 4; otherwise set to -1. * This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only. 	* Coded only for questions not asked on previous versions of the CMHS NOMs tools. *If RespondentType = 2 (CARETAKER) then set Other Use = -6.
GAFDate		DATE GAF WAS ADMINISTERED	date time	10	Applies only when an interview was conducted (ConductedInterview = 1).	date entered will be converted to datetime 06/01/1869 = Not provided 01/01/1869 = N/A (Not Applicable)	* GAFDate is reported by program staff at program's discretion. * Only applicable if Section B is required and user skips GAF fields. * This "Not provided" code is not valid for data entry. It is for Data Download purposes only. * This IN/A code is not valid for data entry. It is for Data Download purposes only.	■ GAFDate must be ≤ InterviewDate # If GAFDate < InterviewDate – 6 months then set GAFDate to 06/01/1869 and GAFScore = -1. * Although optional, a valid GAFDate (≥ InterviewDate – 6 months) is required if a valid GAFScore was provided.
GAFScore		WHAT WAS THE CONSUMER'S SCORE? GAF =	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).		* Only asked when ConductedInterview = 1 and GAFDate ≥ InterviewDate - 6 months; otherwise set to -1.	* Although optional, a valid GAFScore (between 0 - 100) is required if a proper GAFDate was provided.
						-1 = N/A (Not Applicable)	* Set to N/A code if GAFDate = 06/01/1869. * This N/A code is not valid for data entry. It is for Data Download purposes only.	

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
CBCLDate		DATE CBCL WAS ADMINISTERED	date time	10	Applies only when an interview was conducted (ConductedInterview = 1).	date entered will be converted to datetime	* CBCLDate is reported by program staff at program's discretion.	* CBCLDate must be ≲ InterviewDate * If CBCLDate < InterviewDate – 6 months then set CBCLDate to 6/0/11869 and CBCLScore = -1. * Atthough optional, a valid CBCLDate (≥ InterviewDate – 6 months) is required if a valid CBCLScore was provided.
						06/01/1869 = Not provided	* Only applicable if Section B is required and user skips CBCL fields. * This "Not provided" code is not valid for data entry. It is for Data Download purposes only.	
						01/01/1869 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						12/01/1869 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the CMHS NOMs tools.
CBCLScore		WHAT WAS THE CONSUMER'S SCORE? TOTAL PROBLEMS T SCORE =	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	0 - 100	* Only asked when ConductedInterview = 1 and CBCLDate ≥ InterviewDate - 6 months; otherwise set to -1.	* Although optional, a valid CBCLScore (between 0 - 100) is required if a proper CBCLDate was provided.
						-1 = N/A (Not Applicable) -5 = NOT ASKED ON PREVIOUS NOMS TOOL	 Set to N/A code if CBCLDate = 06/01/1689. This N/A code is not valid for data entry. It is for Data Download purposes only. This N/A code is not valid for data entry. It is for Data Download purposes only. 	* Coded only for questions not asked on previous versions of the CMHS NOMs tools.
SECTION B. MILITARY								
ActiveDuty_Self	B5	Are you currently serving on active duty in the Armed Forces, the Reserves, or the National Guard?	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = NO 1 = YES		*If RespondentType = 2 (CARETAKER) or calculated age (using DOB) < 18 years old, then set ActiveDuty_Self = -1.".
						-1 = N/A (Not Applicable) -5 = NOT ASKED ON PREVIOUS NOMS TOOL	 This N/A code is not valid for data entry. It is for Data Download purposes only. This N/A code is not valid for data entry. It is for Data 	
						-7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	Download purposes only.	
ActiveDuty_Else	B6	Is anyone in your family or someone close to you currently serving on active duty in or retired/separated from the Armed Forces, the Reserves, or the National Guard?	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = No	* Skip to C1a. (NightsHomeless)	* Set all fields from B.6.1a (AD_P1Relationship) to B.6.6b (AD_P6Died) = -1 (N/A)
						1 = Yes, only one person 2 = Yes, more than one person -1 = N/A (Not Applicable) -5 = NOT ASKED ON PREVIOUS NOMS TOOL	 This N/A code is not valid for data entry. It is for Data Download purposes only. This N/A code is not valid for data entry. It is for Data Download purposes only. 	* Set all fields from B.6.2a (AD_P2Relationship) to B.6.6b (AD_P6Died) = -1 (N/A)
						-7 = REFUSED	* Skip to C1a. (NightsHomeless)	* Set all fields from B.6.1a (AD_P1Relationship) to B.6.6b (AD_P6Died) = -1 (N/A)
						-8 = DON'T KNOW	* Skip to C1a. (NightsHomeless)	* Set all fields from B.6.1a (AD_P1Relationship) to B.6.6b (AD_P6Died) = -1 (N/A)
AD_P1Relationship_11	N/A	For the first person: What is the relationship of that person (Service Member) to you?	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	-9 = MISSING DATA 0 = MOTHER/FATHER	* Skip to C1a. (NightsHomeless)	* Set AD_P1Rel_OtherSpec = -1 (N/A)
						1 = BROTHER/SISTER 2 = SPOUSE/PARTNER 3 = CHILD 4 = OTHER, SPECIFY -1 = NI/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data	* Set AD_P1Rel_OtherSpec = -1 (N/A) * Set AD_P1Rel_OtherSpec = -1 (N/A) * Set AD_P1Rel_OtherSpec = -1 (N/A)
						-4 = N/A - archived field	Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions asked on previous versions of the CMHS NOMs tools.
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED	* This N/A code is not valid for data entry. It is for Data Download purposes only.	* Set AD_P1Rel_OtherSpec = -1 (N/A)
						-8 = DON'T KNOW -9 = MISSING DATA		* Set AD_P1Rel_OtherSpec = -1 (N/A) * Set AD_P1Rel_OtherSpec = -1 (N/A)
AD_P1Rel_OtherSpec_ 11	N/A	OTHER (SPECIFY)	text	50	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).		* Only asked when AD_P1Relationship = OTHER, SPECFIY, otherwise set to -1.	* Coded only for questions asked on previous versions of the CMHS NOMs tools.
						-1 = N/A (Not Applicable) -4 = N/A - archived field	 This N/A code is not valid for data entry. It is for Data Download purposes only. This N/A code is not valid for data entry. It is for Data Download purposes only. 	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
	N/A	For the first person: Has the Service	integer	N/A	Applies only at Baseline	0 = NO	Luit and oxp information	* Coded only for questions asked on previous
		Member experienced any of the following:	°.		(Assessment = 0600) with a			 Coded only for questions asked on previous versions of the
		Deployed in support of Combat			conducted interview			CMHS NOMs tools.
		Operations? (e.g. Iraq or Afghanistan)			(ConductedInterview = 1).	1 = YES		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data	
							Download purposes only.	
						-4 = N/A - archived field	* This N/A code is not valid for data entry. It is for Data	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	Download purposes only. * This N/A code is not valid for data entry. It is for Data	
						-3 = NOT ASKED ON FREVIOUS NOWS TODE	Download purposes only.	
						-7 = REFUSED		
						-8 = DON'T KNOW		
AD_P1Injured_11	N/A	For the first person: Has the Service	integer	N/A	Applies only at Baseline	-9 = MISSING DATA 0 = NO		
AD_P IIIjuleu_II	IN/A	Member experienced any of the following:	integer	IN/A	(Assessment = 0600) with a	0 = NO		* Coded only for questions asked on previous
		Was physically injured during Combat			conducted interview			versions of the CMHS NOMs tools.
		Operations?			(ConductedInterview = 1).			CMH3 NOMS tools.
						1 = YES	* This N/A sould is not wild for data output his for Data	
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-4 = N/A - archived field	* This N/A code is not valid for data entry. It is for Data	
							Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data	
						-7 = REFUSED	Download purposes only.	
						-8 = DON'T KNOW		
						-9 = MISSING DATA		
AD_P1Stress_11	N/A	For the first person: Has the Service	integer	N/A	Applies only at Baseline	0 = NO		
		Member experienced any of the following: Developed combat stress			(Assessment = 0600) with a conducted interview			* Coded only for questions asked on previous
		symptoms/difficulties adjusting			(Conducted Interview = 1).			versions of the
		following deployment, including PTSD,			(Conductedinterview - 1).			CMHS NOMs tools.
		depression, or suicidal thoughts?						
						1 = YES		
						1 = YES -1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data	
							Download purposes only.	
						-4 = N/A - archived field	* This N/A code is not valid for data entry. It is for Data	
							Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-7 = REFUSED	Download purposes only.	
						-8 = DON'T KNOW		
						-9 = MISSING DATA		
AD_P1Died_11	N/A	For the first person: Has the Service Member experienced any of the following:	integer	N/A	Applies only at Baseline (Assessment = 0600) with a	0 = NO		* Coded only for questions asked on previous
		Died or was killed?			conducted interview			versions of the
					(ConductedInterview = 1).			CMHS NOMs tools.
						1 = YES		
						-1 = N/A (Not Applicable) -4 = N/A - archived field	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
							Download purposes only.	
						-7 = REFUSED		
						-8 = DON'T KNOW		
AD P2Relationship 11	N/A	For the second person: What is the	integer	N/A	Applies only at Baseline	-9 = MISSING DATA 0 = MOTHER/FATHER		* Set AD P2Rel OtherSpec = -1 (N/A)
		relationship of that person (Service			(Assessment = 0600) with a			
		Member) to you?			conducted interview			
					(ConductedInterview = 1).			* Cot AD, D2Dal, OtherControl 4 (N/A)
		1				1 = BROTHER/SISTER 2 = SPOUSE/PARTNER		* Set AD P2Rel OtherSpec = -1 (N/A) * Set AD_P2Rel_OtherSpec = -1 (N/A)
		1				3 = CHILD		* Set AD_P2Rel_OtherSpec = -1 (N/A)
						4 = OTHER, SPECIFY		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data	
						4 - N/A prohived field	Download purposes only.	* Coded only for guarties
						-4 = N/A - archived field	* This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions asked on previous versions of the
								CMHS NOMs tools.
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-7 = REFUSED		* Set AD P2Rel OtherSpec = -1 (N/A)
		1	1			-8 = DON'T KNOW -9 = MISSING DATA		* Set AD_P2Rel_OtherSpec = -1 (N/A) * Set AD_P2Rel_OtherSpec = -1 (N/A)
							+	OCCAD FZINELOUICIOPEC == 1 (IV/A)
AD P2Rel OtherSpec	N/A	OTHER (SPECIFY)	text	50	Applies only at Baseline		* Only asked when AD_P2Relationship = OTHER. SPECELY: otherwise set to -1	
AD_P2Rel_OtherSpec_ 11	N/A	OTHER (SPECIFY)	text	50	Applies only at Baseline (Assessment = 0600) with a		* Only asked when AD_P2Relationship = OTHER, SPECFIY; otherwise set to -1.	* Coded only for questions asked on previous
AD_P2Rel_OtherSpec_ 11	N/A	OTHER (SPECIFY)	text	50	(Assessment = 0600) with a conducted interview		* Only asked when AD_P2Relationship = OTHER, SPECFIY; otherwise set to -1.	versions of the
AD_P2Rel_OtherSpec_ 11	N/A	OTHER (SPECIFY)	text	50	(Assessment = 0600) with a			
AD_P2Rel_OtherSpec_ 11	N/A	OTHER (SPECIFY)	text	50	(Assessment = 0600) with a conducted interview	-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	versions of the
AD_P2Rel_OtherSpec_ 11	N/A	OTHER (SPECIFY)	text	50	(Assessment = 0600) with a conducted interview	-1 = N/A (Not Applicable) -4 = N/A - archived field	 This N/A code is not valid for data entry. It is for Data Download purposes only. This N/A code is not valid for data entry. It is for Data 	versions of the
AD_P2Rel_OtherSpec_ 11	N/A	OTHER (SPECIFY)	text	50	(Assessment = 0600) with a conducted interview	-1 = N/A (Not Applicable) -4 = N/A - archived field -5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	versions of the

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
AD_P2CombatOpr_11	N/A	For the second person: Has the Service	integer	N/A	Applies only at Baseline	0 = NO		* Coded only for questions asked on previous
		Member experienced any of the following:			(Assessment = 0600) with a			versions of the
		Deployed in support of Combat Operations? (e.g. Iraq or Afghanistan)			conducted interview (ConductedInterview = 1).			CMHS NOMs tools.
		Operations (e.g. lad of Alghanistan)			(Conductedinterview = 1).	1 = YES		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data	
							Download purposes only. * This N/A code is not valid for data entry. It is for Data	
						-4 = N/A - archived field	 I his N/A code is not valid for data entry. It is for Data 	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	Download purposes only. * This N/A code is not valid for data entry. It is for Data	
							Download purposes only.	
						-7 = REFUSED -8 = DON'T KNOW		
						-9 = MISSING DATA		
AD_P2Injured_11	N/A	For the second person: Has the Service	integer	N/A	Applies only at Baseline	0 = NO		* Coded only for questions asked on previous
		Member experienced any of the following:	-		(Assessment = 0600) with a			versions of the
		Was physically injured during Combat Operations?			conducted interview (ConductedInterview = 1).			CMHS NOMs tools.
		Operations?			(ConductedInterview = 1).	1 = YES		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data	
							Download purposes only.	
						-4 = N/A - archived field	* This N/A code is not valid for data entry. It is for Data	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	Download purposes only. * This N/A code is not valid for data entry. It is for Data	
						-7 = REFUSED		
						-8 = DON'T KNOW		
	NIA	For the oppond parage. Use the Oppi	inte com	N/A	Applies only at Darantina	-9 = MISSING DATA		
AD_P2Stress_11	N/A	For the second person: Has the Service Member experienced any of the following:	integer	N/A	Applies only at Baseline (Assessment = 0600) with a	0 = NO		
		Developed combat stress			conducted interview			* Coded only for questions asked on previous
		symptoms/difficulties adjusting			(ConductedInterview = 1).			versions of the
		following deployment, including PTSD,						CMHS NOMs tools.
		depression, or suicidal thoughts?						
						1 = YES		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data	
							Download purposes only.	
						-4 = N/A - archived field	* This N/A code is not valid for data entry. It is for Data	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	Download purposes only. * This N/A code is not valid for data entry. It is for Data	
							Download purposes only.	
						-7 = REFUSED		
						-8 = DON'T KNOW -9 = MISSING DATA		
AD_P2Died_11	N/A	For the second person: Has the Service	integer	N/A	Applies only at Baseline	0 = NO		
//b_/ 20/04_//		Member experienced any of the following:	integer		(Assessment = 0600) with a			* Coded only for questions asked on previous versions of the
		Died or was killed?			conducted interview			CMHS NOMs tools.
					(ConductedInterview = 1).	1 = YES		
						1 = YES -1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data	
							Download purposes only.	
						-4 = N/A - archived field	* This N/A code is not valid for data entry. It is for Data	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	Download purposes only. * This N/A code is not valid for data entry. It is for Data	
						-5 - NOT ASKED ON PREVIOUS NOWS TOOL	Download purposes only.	
						-7 = REFUSED	Bomiloud parpoolo only.	
						-8 = DON'T KNOW		
AD P3Relationship 11		For the third person: What is the	late as a	NI/A	Applies only at Baseline	-9 = MISSING DATA 0 = MOTHER/FATHER		* Set AD P3Rel OtherSpec = -1 (N/A)
AD_P3Relationship_11	IN/A	For the third person: What is the relationship of that person (Service	integer	N/A	(Assessment = 0600) with a	U - WUINER/FAIHER		Set AD_P3Rel_OtherSpec = -1 (IN/A)
		Member) to you?			conducted interview			
					(ConductedInterview = 1).			
								* Set AD P3Rel OtherSpec = -1 (N/A)
						2 = SPOUSE/PARTNER 3 = CHILD		* Set AD_P3Rel_OtherSpec = -1 (N/A) * Set AD_P3Rel_OtherSpec = -1 (N/A)
						4 = OTHER, SPECIFY		occas Force Oneropec == I (N/A)
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data	
							Download purposes only.	
						-4 = N/A - archived field	* This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions asked on previous versions of the
							Download poliposes only.	CMHS NOMs tools.
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data	
							Download purposes only.	
						-7 = REFUSED -8 = DON'T KNOW		* Set AD_P3Rel_OtherSpec = -1 (N/A) * Set AD_P3Rel_OtherSpec = -1 (N/A)
						-9 = MISSING DATA		* Set AD P3Rel OtherSpec = -1 (N/A)
						S MISSING DATA	* Only asked when AD_P3Relationship = OTHER, SPECFIY; otherwise set to -1.	Contro_Concroped ((M/A)
AD_P3Rel_OtherSpec_	N/A	OTHER (SPECIFY)	text	50	Applies only at Baseline			
AD_P3Rel_OtherSpec_ 11	N/A	OTHER (SPECIFY)	text	50	(Assessment = 0600) with a			* Coded only for questions asked on previous
AD_P3Rel_OtherSpec_ 11	N/A	OTHER (SPECIFY)	text	50	(Assessment = 0600) with a conducted interview			versions of the
AD_P3Rel_OtherSpec_ 11	N/A	OTHER (SPECIFY)	text	50	(Assessment = 0600) with a	-1 = N/A (Not Applicable)		
AD_P3Rel_OtherSpec_ 11	N/A	OTHER (SPECIFY)	text	50	(Assessment = 0600) with a conducted interview	-1 = N/A (Not Applicable) -4 = N/A - archived field	* This N/A code is not valid for data entry. It is for Data Download purposes only.	versions of the
AD_P3Rel_OtherSpec_ 11	N/A	OTHER (SPECIFY)	text	50	(Assessment = 0600) with a conducted interview	-4 = N/A - archived field	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	versions of the
AD_P3Rel_OtherSpec_ 11	N/A	OTHER (SPECIFY)	text	50	(Assessment = 0600) with a conducted interview		 This N/A code is not valid for data entry. It is for Data Download purposes only. This N/A code is not valid for data entry. It is for Data 	versions of the

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
AD_P3CombatOpr_11		For the third person: Has the Service	integer	N/A	Applies only at Baseline	0 = NO	Luciana ordp information	* Coded only for questions asked on previous
		Member experienced any of the following:	•		(Assessment = 0600) with a			versions of the
		Deployed in support of Combat			conducted interview			CMHS NOMs tools.
		Operations? (e.g. Iraq or Afghanistan)			(ConductedInterview = 1).	1 = YES		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data	
							Download purposes only.	
						-4 = N/A - archived field	* This N/A code is not valid for data entry. It is for Data	
							Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data	
						-7 = REFUSED	Download purposes only.	
						-8 = DON'T KNOW		
						-9 = MISSING DATA		
AD_P3Injured_11	N/A	For the third person: Has the Service	integer	N/A	Applies only at Baseline	0 = NO		* Coded only for questions asked on previous
		Member experienced any of the following:			(Assessment = 0600) with a			versions of the
		Was physically injured during Combat			conducted interview			CMHS NOMs tools.
		Operations?			(ConductedInterview = 1).	1 = YES		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data	
						1 Hint (Hoth ppilodbio)	Download purposes only.	
			1			-4 = N/A - archived field	* This N/A code is not valid for data entry. It is for Data	1
			1				Download purposes only.	1
			1			-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data	1
			1			-7 = REFUSED	Download purposes only.	1
			1			-7 = REFUSED -8 = DON'T KNOW		1
			1			-9 = MISSING DATA		1
AD_P3Stress_11	N/A	For the third person: Has the Service	integer	N/A	Applies only at Baseline	0 = NO		1
		Member experienced any of the following:	1		(Assessment = 0600) with a			1
		Developed combat stress			conducted interview			* Coded only for questions asked on previous
		symptoms/difficulties adjusting			(ConductedInterview = 1).			versions of the CMHS NOMs tools.
		following deployment, including PTSD, depression, or suicidal thoughts?	'					CMHS NOMS tools.
		depression, or suicidal thoughts?						
						1 = YES		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data	
							Download purposes only.	
						-4 = N/A - archived field	* This N/A code is not valid for data entry. It is for Data	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	Download purposes only. * This N/A code is not valid for data entry. It is for Data	
						-5 - NOT ASKED ON PREVIOUS NOWS TOOL	Download purposes only.	
						-7 = REFUSED	Download pulposes only.	
						-8 = DON'T KNOW		
						-9 = MISSING DATA		
AD_P3Died_11	N/A	For the third person: Has the Service	integer	N/A	Applies only at Baseline	0 = NO		* Coded only for questions asked on previous
		Member experienced any of the following:			(Assessment = 0600) with a			versions of the
		Died or was killed?			conducted interview			CMHS NOMs tools.
					(ConductedInterview = 1).	1 = YES		
			1			-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data	1
			1				Download purposes only.	1
			1			-4 = N/A - archived field	* This N/A code is not valid for data entry. It is for Data	1
			1				Download purposes only.	1
			1			-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data	1
			1			-7 = REFUSED	Download purposes only.	1
			1			-8 = DON'T KNOW		1
			1			-9 = MISSING DATA		1
AD_P4Relationship_11	N/A	For the fourth person: What is the	integer	N/A	Applies only at Baseline	0 = MOTHER/FATHER		* Set AD_P4Rel_OtherSpec = -1 (N/A)
		relationship of that person (Service	1		(Assessment = 0600) with a			
		Member) to you?	1		conducted interview			1
			1		(ConductedInterview = 1).	1 = BROTHER/SISTER		* Set AD P4Rel OtherSpec = -1 (N/A)
			1			1 = BROTHER/SISTER 2 = SPOUSE/PARTNER		* Set AD_P4Rel_OtherSpec = -1 (N/A) * Set AD_P4Rel_OtherSpec = -1 (N/A)
			1			3 = CHILD		* Set AD_P4Rel_OtherSpec = -1 (N/A)
			1			4 = OTHER, SPECIFY		
			1			-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data	1
			1				Download purposes only.	1
			1			-4 = N/A - archived field	* This N/A code is not valid for data entry. It is for Data	* Coded only for questions asked on previous
			1				Download purposes only.	versions of the
			1			-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data	CMHS NOMs tools.
		1	1	1	1	-J = NOT ASKED ON PREVIOUS NOWS TOOL		
						-7 = REFUSED	Download purposes only.	* Set AD P4Rel OtherSpec = -1 (N/A)
						-7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	Download purposes only.	* Set AD_P4Rel_OtherSpec = -1 (N/A) * Set AD_P4Rel_OtherSpec = -1 (N/A) * Set AD_P4Rel_OtherSpec = -1 (N/A)

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
	N/A	OTHER (SPECIFY)	text	50	Applies only at Baseline		* Only asked when AD_P4Relationship = OTHER, SPECFIY; otherwise set to -1.	* Coded only for questions asked on previous
11					(Assessment = 0600) with a conducted interview (ConductedInterview = 1).			versions of the CMHS NOMs tools.
					(-1 = N/A (Not Applicable) -4 = N/A - archived field	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	
AD_P4CombatOpr_11	N/A	For the fourth person: Has the Service Member experienced any of the following: Deployed in support of Combat	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview	0 = NO		* Coded only for questions asked on previous versions of the CMHS NOMs tools.
		Operations? (e.g. Iraq or Afghanistan)			(ConductedInterview = 1).	1 = YES -1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data	
						-4 = N/A - archived field	Download purposes only. * This N/A code is not valid for data entry. It is for Data	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA		
AD P4Injured 11	N/A	For the fourth person: Has the Service	integer	N/A	Applies only at Baseline	0 = NO		+ On de damb of the monother and the dam mensions
_ / _		Member experienced any of the following: Was physically injured during Combat Operations?	Ū		(Assessment = 0600) with a conducted interview (ConductedInterview = 1).			* Coded only for questions asked on previous versions of the CMHS NOMs tools.
						1 = YES -1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download ourposes only.	
						-4 = N/A - archived field	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-/ = REFUSED -8 = DON'T KNOW -9 = MISSING DATA		
AD_P4Stress_11	N/A	For the fourth person: Has the Service	integer	N/A	Applies only at Baseline	0 = NO		
		Member experienced any of the following: Developed combat stress			(Assessment = 0600) with a conducted interview			* Coded only for questions asked on previous
		symptoms/difficulties adjusting			(ConductedInterview = 1).			versions of the
		following deployment, including PTSD, depression, or suicidal thoughts?						CMHS NOMs tools.
						1 = YES		
						-1 = N/A (Not Applicable)	 This N/A code is not valid for data entry. It is for Data Download purposes only. This N/A code is not valid for data entry. It is for Data 	
						-4 = N/A - archived field -5 = NOT ASKED ON PREVIOUS NOMS TOOL	¹ This N/A code is not valid for data entry. It is for Data Download purposes only. ² This N/A code is not valid for data entry. It is for Data	
						-7 = REFUSED	Download purposes only.	
AD_P4Died_11	N/A	For the fourth person: Has the Service	integer	N/A	Applies only at Baseline	-8 = DON'T KNOW -9 = MISSING DATA 0 = NO		
		Member experienced any of the following: Died or was killed?	integer	N/A	(Assessment = 0600) with a conducted interview	0-10		* Coded only for questions asked on previous versions of the CMHS NOMs tools.
					(ConductedInterview = 1).	1 = YES		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-4 = N/A - archived field -5 = NOT ASKED ON PREVIOUS NOMS TOOL	 This N/A code is not valid for data entry. It is for Data Download purposes only. This N/A code is not valid for data entry. It is for Data Download purposes only. 	
						-7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA		
AD_P5Relationship_11	N/A	For the fifth person: What is the relationship of that person (Service Member) to you?	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview	0 = MOTHER/FATHER		* Set AD_P5Rel_OtherSpec = -1 (N/A)
					(ConductedInterview = 1).	1 = BROTHER/SISTER		* Set AD_P5Rel_OtherSpec = -1 (N/A)
						2 = SPOUSE/PARTNER 3 = CHILD 4 = OTHER, SPECIFY		* Set AD_P5Rel_OtherSpec = -1 (N/A) * Set AD_P5Rel_OtherSpec = -1 (N/A)
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data	
						-4 = N/A - archived field	Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions asked on previous versions of the
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	CMHS NOMs tools.
						-7 = REFUSED -8 = DON'T KNOW		* Set AD_P5Rel_OtherSpec = -1 (N/A) * Set AD_P5Rel_OtherSpec = -1 (N/A)
					1	-9 = MISSING DATA		* Set AD_P5Rel_OtherSpec = -1 (N/A)

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
	N/A	OTHER (SPECIFY)	text	50	Applies only at Baseline		* Only asked when AD_P5Relationship = OTHER, SPECFIY; otherwise set to -1.	
11					(Assessment = 0600) with a conducted interview (ConductedInterview = 1).			* Coded only for questions asked on previous versions of the CMHS NOMs tools.
					(Conductodinic) non T).	-1 = N/A (Not Applicable) -4 = N/A - archived field	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data	
							Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
AD_P5CombatOpr_11	N/A	For the fifth person: Has the Service Member experienced any of the following: Deployed in support of Combat	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview	0 = NO		* Coded only for questions asked on previous versions of the
		Operations? (e.g. Iraq or Afghanistan)			(ConductedInterview = 1).			CMHS NOMs tools.
						1 = YES -1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-4 = N/A - archived field	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-7 = REFUSED -8 = DON'T KNOW		
						-9 = MISSING DATA		
AD_P5Injured_11	N/A	For the fifth person: Has the Service Member experienced any of the following:	integer	N/A	Applies only at Baseline (Assessment = 0600) with a	0 = NO		* Coded only for questions asked on previous
		Was physically injured during Combat			conducted interview			versions of the CMHS NOMs tools.
		Operations?			(ConductedInterview = 1).	1 = YES		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data	
						-4 = N/A - archived field	Download purposes only. * This N/A code is not valid for data entry. It is for Data	
							Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-8 = DON'T KNOW -9 = MISSING DATA		
AD_P5Stress_11	N/A	For the fifth person: Has the Service	integer	N/A	Applies only at Baseline	0 = NO		
		Member experienced any of the following: Developed combat stress			(Assessment = 0600) with a conducted interview			* Coded only for questions asked on previous
		symptoms/difficulties adjusting following deployment, including PTSD, depression, arguinidat the unstate?			(ConductedInterview = 1).			versions of the CMHS NOMs tools.
		depression, or suicidal thoughts?						
						1 = YES -1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data	
							Download purposes only.	
						-4 = N/A - archived field	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-7 = REFUSED -8 = DON'T KNOW		
						-9 = MISSING DATA		
AD_P5Died_11	N/A	For the fifth person: Has the Service Member experienced any of the following:	integer	N/A	Applies only at Baseline (Assessment = 0600) with a	0 = NO		* Coded only for questions asked on previous
		Died or was killed?			conducted interview			versions of the CMHS NOMs tools.
					(ConductedInterview = 1).	1 = YES		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-4 = N/A - archived field	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	 This NA code is not valid for data entry. It is for Data Download purposes only. 	
<u>├</u>						-7 = REFUSED -8 = DON'T KNOW		+
		-				-9 = MISSING DATA		
AD_P6Relationship_11	N/A	For the sixth person: What is the relationship of that person (Service	integer	N/A	Applies only at Baseline (Assessment = 0600) with a	0 = MOTHER/FATHER		* Set AD_P6Rel_OtherSpec = -1 (N/A)
		Member) to you?			(Conducted Interview = 1).			
						1 = BROTHER/SISTER		* Set AD_P6Rel_OtherSpec = -1 (N/A)
						2 = SPOUSE/PARTNER 3 = CHILD		* Set AD_P6Rel_OtherSpec = -1 (N/A) * Set AD_P6Rel_OtherSpec = -1 (N/A)
						4 = OTHER, SPECIFY	+ This N/A and a is makened for data and a like for Data Davada '	
						-1 = N/A (Not Applicable) -4 = N/A - archived field	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions asked on previous versions of the
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	CMHS NOMs tools.
						-7 = REFUSED	Downioau purposes only.	* Set AD_P6Rel_OtherSpec = -1 (N/A)
						-8 = DON'T KNOW -9 = MISSING DATA		* Set AD_P6Rel_OtherSpec = -1 (N/A) * Set AD_P6Rel_OtherSpec = -1 (N/A)

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
	N/A	OTHER (SPECIFY)	text	50	Applies only at Baseline		* Only asked when AD P6Relationship = OTHER,	* Coded only for questions asked on previous
11					(Assessment = 0600) with a		SPECFIY; otherwise set to -1.	versions of the CMHS NOMs tools.
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data	
						-4 = N/A - archived field -5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data	
							Download purposes only.	
AD_P6CombatOpr_11	N/A	For the sixth person: Has the Service Member experienced any of the following:	integer	N/A	Applies only at Baseline (Assessment = 0600) with a	0 = NO		* Coded only for questions asked on previous
		Deployed in support of Combat			(Assessment = 0600) with a conducted interview			versions of the CMHS NOMs tools.
		Operations? (e.g. Iraq or Afghanistan)			(ConductedInterview = 1).	1 = YES		CMHS NOMS tools.
						1 = YES -1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data	
							Download purposes only.	
						-4 = N/A - archived field -5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data * This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-7 = REFUSED	This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-8 = DON'T KNOW		
AD P6Injured 11	N/A	For the sixth person: Has the Service	integer	N/A	Applies only at Baseline	-9 = MISSING DATA 0 = NO		
/ D_1 Olljarod_11		Member experienced any of the following:	integer		(Assessment = 0600) with a			* Coded only for questions asked on previous versions of the
		Was physically injured during Combat Operations?			conducted interview (ConductedInterview = 1).			CMHS NOMs tools.
		Operations			(Conductedinterview = 1).	1 = YES		
						-1 = N/A (Not Applicable) -4 = N/A - archived field	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
	1						* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data	
						-7 = REFUSED	Download purposes only.	
						-8 = DON'T KNOW		
AD_P6Stress_11	N/A	For the sixth person: Has the Service	integer	N/A	Applies only at Baseline	-9 = MISSING DATA 0 = NO		+
AD_POSITESS_11	IN/A	Member experienced any of the following:	integer	IN/A	(Assessment = 0600) with a	0 - NO		
		Developed combat stress			conducted interview			* Coded only for questions asked on previous versions of the
		symptoms/difficulties adjusting following deployment, including PTSD,			(ConductedInterview = 1).			CMHS NOMs tools.
		depression, or suicidal thoughts?						
						1 = YES		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data	
						-4 = N/A - archived field	Download purposes only. * This N/A code is not valid for data entry. It is for Data	
							Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-7 = REFUSED	Download pulposes only.	
						-8 = DON'T KNOW		
AD_P6Died_11	N/A	For the sixth person: Has the Service	integer	N/A	Applies only at Baseline	-9 = MISSING DATA 0 = NO		
		Member experienced any of the following:	5		(Assessment = 0600) with a			* Coded only for questions asked on previous versions of the
		Died or was killed?			conducted interview (ConductedInterview = 1).			CMHS NOMs tools.
					(Solidotcalitici view = 1).	1 = YES		
						-1 = N/A (Not Applicable) -4 = N/A - archived field	* This N/A code is not valid for data entry. It is for Data	
	1					-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data * This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-7 = REFUSED		
						-8 = DON'T KNOW -9 = MISSING DATA		
SECTION C. STABILITY			li a					
NightsHomeless	C1a	In the past 30 days how many nights have you [has your child] been	integer	N/A	Applies only when an interview was conducted	0 - 30	If NightsHomeless ≥ 16 then set Housing = 3.	*Total of NightsHomeless + NightsHospitalMHC + NightsDetox +
	1	homeless?			(ConductedInterview = 1).			NightsJail cannot be > than 30.
						-1 = N/A (Not Applicable) -5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data	* Coded only for questions not asked on previous
	1					-J - NOT ASKED ON PREVIOUS NUMS TOOL	I his N/A code is not valid for data entry. It is for Data Download purposes only.	 Coded only for questions not asked on previous versions of the
								CMHS NOMs tools.
	1					-7 = REFUSED -8 = DON'T KNOW		
						-9 = MISSING DATA		
NightsHospitalMHC	C1b	In the past 30 days how many nights have you [has your child] spent in a hospital	integer	N/A	Applies only when an interview was conducted	0 - 30	If NightsHospitalMHC \geq 16 then set Housing = 10.	*Total of NightsHomeless + NightsHospitalMHC + NightsDetox + NightsJail cannot be > than 30.
		for mental health care?			(ConductedInterview = 1).			ragnabetox + ragnastali carinot be > triail 30.
					· · ·	-1 = N/A (Not Applicable) -5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data	* Coded only for questions not asked on previous
						-3 - NOT ASKED ON PREVIOUS NOWS TOOL	Download purposes only.	versions of the
								CMHS NOMs tools.
	1					-7 = REFUSED -8 = DON'T KNOW		

Field Name	Question Number	Description	Data	Longth	Validity	Value Descriptions	Edit and Skin Information	Croppshask
Field Name NightsDetox	C1c	Description In the past 30 days how many nights	Type integer	Length N/A	Validity Applies only when an interview	Value Descriptions 0 - 30	Edit and Skip Information If NightsDetox ≥ 16 then set Housing = 19.	Crosscheck *Total of NightsHomeless + NightsHospitalMHC +
- Ignobolox	010	have you [has your child] spent in a facility for detox/inpatient or residential substance abuse treatment?	integer	1071	was conducted (ConductedInterview = 1).			NightsDetox + NightsJail cannot be > than 30.
						-1 = N/A (Not Applicable) -5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the CMHS NOMs tools.
						-7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA		
NightsJail	C1d	In the past 30 days how many nights have you [has your child] spent in a correctional facility including juvenile detention, jail, or prison?	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	0 - 30	If NightsJall ≥ 16 then set Housing = 11.	*Total of NightsHomeless + NightsHospitalMHC + NightsDetox + NightsJail cannot be > than 30.
						-1 = N/A (Not Applicable) -5 = NOT ASKED ON PREVIOUS NOMS TOOL	 This N/A code is not valid for data entry. It is for Data Download purposes only. This N/A code is not valid for data entry. It is for Data Download purposes only. 	* Coded only for questions not asked on previous versions of the CMHS NOMs tools.
						-7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA		
TimesER	C1e	In the past 30 days how many times have you [has your child] gone to an emergency room for a psychiatric or emotional problem?	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	0 - 99		* Coded only for questions not asked on previous versions of the CMHS NOMs tools.
						-1 = N/A (Not Applicable) -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED	 This N/A code is not valid for data entry. It is for Data Download purposes only. This N/A code is not valid for data entry. It is for Data Download purposes only. 	
						-8 = DON'T KNOW -9 = MISSING DATA		
Housing	C2	In the past 30 days, where have you [has your child] been living most of the time?	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	1 = CAREGIVER'S OWNED OR RENTED HOUSE, APARTMENT, TRAILER, OR ROOM 20 = INDEPENDENT OWNED OR	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						RENTED HOUSE, APARTMENT, TRAILER OR ROOM 2 = SOMEONE ELSE'S HOUSE, APARTMENT, TRAILER, OR ROOM 3 = HOMELESS (SHELTER, STREET/OUTDOORS, PARK) 4 = GROUP HOME 5 = FOSTER CARE (SPECIALIZED THERAPEUTIC TREATMENT) 6 = TRANSITIONAL LIVING FACILITY 9 = HOSPITAL (MEDICAL) 10 = HOSPITAL (PSYCHATRIC) 19 = DETOXINPATIENT OR RESIDENTIAL SUBSTANCE ABUSE TREATMENT FACILITY 11 = CORRECTIONAL FACILITY (JUVENILE DETENTION CENTER/JAIL/PRISON) 18 = OTHER HOUSED (SPECIFY) -1 = NIA (Not Applicable) -7 = REFUSED -8 = DONT KNOW 9 = MISSING DATA		
OtherHousingSpec	C2	Other Housed specify	text	50	Applies only when an interview was conducted (ConductedInterview = 1).	-1 = N/A (Not Applicable)	* Only asked when Housing = 18 ; otherwise set to -1.	
0.3.8.	00.11				(- · · · ·		* This N/A code is not valid for data entry. It is for Data Download purposes only.	
ChildLivedWithBioParen ts	C2_old	Who have you [has your child] lived with during the past 30 days?	integer	N/A	Retained for Data Download purposes, but no longer applies.	0 = NO 1 = YES		*If child or caregiver indicated that they REFUSED (-7), DON'T KNOW (-8) or MISSING DATA (-9), then all C2 questions must be set accordingly to REFUSED (-7), DON'T KNOW (-8) or MISSING DATA (-9),
						1 = YES -1 = N/A (Not Applicable) -4 = N/A - archived field	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-4 - NA - archived lield -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	The first code is not relied for data only. It is for Data Download put (USES Only.	

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
ChildLivedWithAdoptPar	C2_old	Who have you [has your child] lived with	integer	N/A	Retained for Data Download	0 = NO		*If child or caregiver indicated that they REFUSED
ents		during the past 30 days?			purposes, but no longer applies.	4.050		(-7), DON'T KNOW (-8) or MISSING DATA (-9), then all C2 questions must be set accordingly to REFUSED (-7), DON'T KNOW (-8) or MISSING DATA (-9),
						1 = YES -1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-4 = N/A - archived field -7 = REFUSED -8 = DON'T KNOW	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-9 = MISSING DATA		
ChildLivedWithRelative	C2_old	Who have you [has your child] lived with during the past 30 days?	integer	N/A	Retained for Data Download purposes, but no longer applies.	0 = NO		*If child or caregiver indicated that they REFUSED (-7), DON'T KNOW (-8) or MISSING DATA (-9), then all C2 questions must be set accordingly to REFUSED (-7), DON'T KNOW (-8) or MISSING DATA (-9),
						1 = YES -1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-4 = N/A - archived field -7 = REFUSED -8 = DONT KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
ChildLivedWithNonRelat ive	C2_old	Who have you [has your child] lived with during the past 30 days?	integer	N/A	Retained for Data Download purposes, but no longer applies.	0 = NO		*If child or caregiver indicated that they REFUSED (-7), DON'T KNOW (-8) or MISSING DATA (-9), then all C2 questions must be set accordingly to REFUSED (-7), DON'T KNOW (-8) or MISSING DATA (-9),
						1 = YES -1 = N/A (Not Applicable) -4 = N/A - archived field -7 = REFUSED -8 = DONT KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	
ChildLivedWithIndepend ent	C2_old	Who have you [has your child] lived with during the past 30 days?	integer	N/A	Retained for Data Download purposes, but no longer applies.	0 = NO 1 = YES		*If child or caregiver indicated that they REFUSED (-7), DON'T KNOW (-8) or MISSING DATA (-9), then all C2 questions must be set accordingly to REFUSED (-7), DON'T KNOW (-8) or MISSING DATA (-9),
						1 = YES -1 = N/A (Not Applicable) -4 = N/A - archived field	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	······································	
SECTION D. EDUCATIO								
DaysAbsent	D1	During the past 30 days of school, how many days were you [was your child] absent for any reason?	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	0 = 0 DAYS 1 = 1 DAY 2 = 2 DAYS 3 = 3 TO 5 DAYS 4 = 6 TO 10 DAYS 5 = MORE THAN 10 DAYS	* Skip to D2 (Education)	* Set DaysAbsentUnexcused = -1 (N/A)
						-6 = N/A (Not Applicable) -1 = N/A (Not Applicable)	 * Skip to D2 (Education) * This N/A code is not valid for data entry. It is for Data 	* Set DaysAbsentUnexcused = -6 (NOT APPLICABLE)
						-7 = REFUSED -8 = DON'T KNOW	* Skip to D2 (Education)	* Set DaysAbsentUnexcused = -7 (REFUSED) * Set DaysAbsentUnexcused = -8 (DON'T KNOW)
DaysAbsentUnexcused	Dia	[IF ABSENT], how many days were	integer	N/A	Applies only when an interview	-9 = MISSING DATA 0 = 0 DAYS	* Skip to D2 (Education)	* Set DaysAbsentUnexcused = -9 (MISSING DATA)
DaysAbsentOnexcused	Dia	unexcused absences?	integer	IN/A	was conducted (ConductedInterview = 1).	0-0 DATS	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						1 = 1 DAY		* If DaysAbsent > 0, then DaysAbsentUnexcused must be ≤ DaysAbsent.
						2 = 2 DAYS		* If DaysAbsent > 0, then DaysAbsentUnexcused
						3 = 3 TO 5 DAYS		must be ≤ DaysAbsent. * If DaysAbsent > 0, then DaysAbsentUnexcused
						4 = 6 TO 10 DAYS		must be ≤ DaysAbsent. * If DaysAbsent > 0, then DaysAbsentUnexcused
						5 = MORE THAN 10 DAYS		must be ≤ DaysAbsent. * If DaysAbsent > 0, then DaysAbsentUnexcused
						-6 = N/A (Not Applicable)		must be ≤ DaysAbsent. * If DaysAbsent = -6 (NOT APPLICABLE), then
								DaysAbsentUnexcused must =-6 (NOT APPLICABLE). * If DaysAbsent > 0 (0 DAYS), then DaysAbsent <> -6 (NOT
						1		APPLICABLE).

Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skin Information	Crosscheck
Number	Description	туре	Lengul	Value	-7 = REFUSED	Lott and oxy information	* If DaysAbsent = -7 (REFUSED), then DaysAbsentUnexcused must =-7 (REFUSED).
				-4			* If DaysAbsent = -8 (DON'T KNOW), then DaysAbsentUnexcused must =-8 (DON'T KNOW).
					-1 = N/A (Not Applicable) -9 = MISSING DATA		* If DaysAbsent = -1 (N/A) or 0 (0 DAYS), then DaysAbsentUnexcused must = -1 (N/A). * If DaysAbsent = -9 (MISSING DATA), then DaysAbsentUnexcused must ==9 (MISSING
							DATA).
D2	What is the highest level of education you have (your child has] finished, whether or not you [he/she has] received a degree?	integer	N/A	was conducted (ConductedInterview = 1).	20 = Preschool 21 = Kindergarten 1 = IST GRADE 2 = 2ND GRADE 3 = RD GRADE 4 = 4TH GRADE 5 = 5TH GRADE 5 = 5TH GRADE 6 = 6TH GRADE 9 = 9TH GRADE 9 = 9TH GRADE 10 = 10TH GRADE 11 = 11TH GRADE 11 = 11TH GRADE 11 = 11TH GRADEHIGH SCHOOL DIPLOMAEQUIVALENT (GED) 13 = VOC/TECH DIPLOMA	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
D CRIMINAL JUST	ICE STATUS				14 = SOME COLLEGE OR UNIVERSITY -7 = REFUSED -8 = DON'T KNOW -1 = N/A (Not Applicable) -9 = MISSING DATA		
E1	In the past 30 days, how many	integer	N/A	Applies only when an interview	0 - 99 = number of times		
	times have you [nas your child] been arrested?			(ConductedInterview = 1).	-1 = N/A (Not Applicable) -7 = REFUSED -8 = DONT KNOW -9 = MISSING DATA	Inis N/A code is not valid for data entry. It is for Data Download purposes only.	
ON OF CARE	Ot-ff have the start way with	late as a	N//A	A	4 - Ohen she Directory		Ι
	respect.			or discharge (Assessment = 0601 to 0699) and an interview must be conducted (ConductedInterview = 1).	2 = Disagree 3 = Undecided 4 = Agree 5 = Strongly Agree -1 = N/A (Not Applicable) -7 = REFUSED 9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
F1b	Staff respected my family's	integer	N/A	Applies only at reassessment	1 = Strongly Disagree		
				0601 to 0699) and an interview must be conducted (ConductedInterview = 1).	2 = Disagree 3 = Undecided 4 = Agree 5 = Strongly Agree -1 = N/A (Not Applicable) -7 = REFUSED -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
F1c	Staff spoke to me in a way that I understood.	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601 to 0699) and an interview must be conducted (ConductedInterview = 1).	1 = Strongly Disagree 2 = Disagree 3 = Undecided 4 = Agree 5 = Strongly Agree	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
	Number D2 D2 D2 D3 D4 D5 D6 CRMINAL JUST E1 D1 D1 D1 D2	Number Description D2 What is the highest level of education you have (your child has) finished, whether or not you (he/she has) received a degree? D2 What is the highest level of education you have (your child has) finished, whether or not you (he/she has) received a degree? D2 What is the highest level of education you have (your child has) finished, whether or not you (he/she has) received a degree? D CRIMINAL JUSTICE STATUS E1 In the past 30 days, how many times have you (has your child) been arrested? DN OF CARE F1a F1a Staff here treated me with respect. F1b Staff respected my family's religious/spiritual beliefs. F1b Staff spoke to me in a way that 1	Number Description Type D2 What is the highest level of education you have (your child has) finished, whether or not you (he/she has) received a degree? Integer D2 What is the highest level of education you have (your child has) finished, whether or not you (he/she has) received a degree? Integer D2 What is the highest level of education you have (your child has) finished, whether or not you (he/she has) received a degree? Integer D CRIMINAL JUSTICE STATUS E In the past 30 days, how many times have you (has your child) been arrested? E1 In the past 30 days, how many times have you (has your child) been arrested? Integer E1 Staff here treated me with respect. Integer F1a Staff respected my family's religious/spiritual beliefs. Integer F1b Staff respected my family's religious/spiritual beliefs. Integer	Number Description Type Length D2 What is the highest level of education you have (your child has] finished, whether or not you [he/she has] received a degree? Integer N/A D2 What is the highest level of education you have (your child has] finished, whether or not you [he/she has] received a degree? Integer N/A D2 CRIMNAL JUSTICE STATUS Integer N/A D3 In the past 30 days, how many times have you [has your child] been arrested? Integer N/A PA OF CARE F1a Staff here treated me with respect. Integer N/A F1b Staff respected my family's religious/spiritual beliefs. Integer N/A F1b Staff spoke to me in a way that 1 Integer N/A	Number Description Type Length Validity D2 What is the highest level of education you have (your child has) finished, whether or not you (he/she has) received a degree? NiA Applies only when an interview was conducted (Conducted interview = 1). D2 What is the highest level of education you have (your child has) finished, whether or not you (he/she has) received a degree? NiA Applies only when an interview was conducted (Conducted interview = 1). D CRIMINAL JUSTICE 67ATUS Integer NiA Applies only when an interview was conducted (Conducted interview = 1). D CRIMINAL JUSTICE 67ATUS Integer NiA Applies only when an interview was conducted (Conducted interview = 1). D CRIMINAL JUSTICE 67ATUS Integer NiA Applies only when an interview was conducted interview was conducted (Conducted interview = 1). D CRIMINAL JUSTICE 67ATUS Integer NiA Applies only at reassessment of discharge (Assessment = 0001 to 0099) and an interview must be conducted (Conducted interview = 1). F1b Staff respected my family's religious/spiritual belefs. Integer NiA Applies only at reassessment = 0001 to 0099) and an interview must be conducted (Conducted interview = 1). F1c Staff spoke to me in a way that1 Integer NiA Applies only at reasses	Number Description Top Length Value Value Value Description 2	Number Description Top Value Value (maintain) Value (maintain) 1 Processing Processing Processing Processing Processing Processing Processing 1 Processing Processing

Eletet News	Question	Description	Data	I su ath	Mallaller	Malua Descriptions	Editorial Ohio Information	Ohh-
Field Name SensitiveToCulture	Number F1d	Description Staff was sensitive to my cultural/ethnic	Type integer	Length N/A	Validity Applies only at reassessment	Value Descriptions 1 = Strongly Disagree	Edit and Skip Information	Crosscheck
		background.			or discharge (Assessment = 0601 to 0699) and an interview must be conducted (ConductedInterview = 1).	2 = Disagree	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						3 = Undecided 4 = Agree 5 = Strongly Agree -1 = N/A (Not Applicable) -7 = REFUSED 9 = MISSING DATA		
ChooseServices	F1e	I helped to choose my [my child's] services.	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601 to 0699) and an interview must be conducted (ConductedInterview = 1).	1 = Strongly Disagree 2 = Disagree 3 = Undecided 4 = Agree 5 = Strongly Agree -1 = N/A (Not Applicable) -7 = REFUSED	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
ChooseTreatment	F1f	I helped to choose my (my child's) treatment goals.	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601 to 0699) and an interview must be conducted (ConductedInterview = 1).	-9 = MISSING DATA 1 = Strongly Disagree 2 = Disagree 3 = Undecided 4 = Agree 5 = Strongly Agree -1 = NIA (Not Applicable) -7 = REFUSED	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
ParticipatedInTreatment	F1g	I participated in my [my_child's] treatment.	integer	N/A	Applies only at reassessment or discharge (Assessment =	-7 - REFUSED -9 = MISSING DATA 1 = Strongly Disagree		
					0601 to 0699) and an interview must be conducted (ConductedInterview = 1).	2 = Disagree 3 = Undecided 4 = Agree 5 = Strongly Agree -1 = NA (Not Applicable) -7 = REFUSED 9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
SatisfiedWithServices	F1h	Overall, I am satisfied with the services I (my child) received.	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601 to 0699) and an interview must be conducted (ConductedInterview = 1).	1 = Strongly Disagree 2 = Disagree 3 = Undecided 4 = Agree 5 = Strongly Agree -1 = N/A (Not Applicable) -7 = REFUSED 9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
PeopleStuckWithUs	F1i	The people helping me [my child] stuck with me [us] no matter what.	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601 to 0699) and an interview must be conducted (ConductedInterview = 1).	1 = Strongly Disagree 2 = Disagree 3 = Undecided 4 = Agree 5 = Strongly Agree -1 = N/A (Not Applicable) -7 = REFUSED -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
Troubled	F1j	I felt I had [my child had] someone to talk to when I [he/she] was troubled.	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601 to 0699) and an interview must be conducted (ConductedInterview = 1).		* This N/A code is not valid for data entry. It is for Data Download purposes only.	

	Question		Data					
Field Name RightServices	Number F1k	Description The services I [my child and/or family]	Type integer	Length N/A	Validity Applies only at reassessment	Value Descriptions 1 = Strongly Disagree	Edit and Skip Information	Crosscheck
RightServices	FIK	The services I (my child and/or family) received were right for us.	integer	N/A	or discharge (Assessment = 0601 to 0699) and an interview must be conducted (ConductedInterview = 1).	2 = Disagree	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						3 = Undecided 4 = Agree 5 = Strongly Agree -1 = N/A (Not Applicable) -7 = REFUSED -9 = MISSING DATA		
GotHelpWanted	F1I	I [My family] got the help I [we] wanted [for my child].	integer	N/A		1 = Strongly Disagree 2 = Disagree 3 = Undecided 4 = Agree 5 = Strongly Agree -1 = NA (Not Applicable) -7 = REFUSED 9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
GotHelpNeeded	F1m	l [My family] got as much help as I [we] needed [for my child].	integer	N/A		1 = Strongly Disagree 2 = Disagree 3 = Undecided 4 = Agree 5 = Strongly Agree -1 = NA (Not Applicable) -7 = REFUSED 9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
WhoAdministered	F2	[INDICATE WHO ADMINISTERED SECTION F- PERCEPTION OF CARE TO THE CONSUMER (CAREGIVER) FOR THIS INTERVIEW.]		N/A		1 = ADMINISTRATIVE STAFF 2 = CARE COORDINATOR 3 = CASE MANAGER 4 = CUINICIAN PROVIDING DIRECT SERVICES 5 = CUINICIAN NOT PROVIDING SERVICES 6 = CONSUMER PEER 7 = DATA COLLECTOR 8 = EVALUATOR 9 = FAMILY ADVOCATE 10 = RESEARCH ASSIGTANT STAFF 11 = SELF-ADMINISTERED 11 = SELF-ADMINISTERED 12 = OTHER (SPECIFY) -1 = N/A (Not Applicable) -5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Downbad purposes only. * This N/A code is not valid for data entry. It is for Data Downbad purposes only.	* Coded only for questions not asked on previous versions of the CMHS NOMs tools.
WhoAdministered_Other Spec		OTHER (SPECIFY)	text	50	Applies only at reassessment or discharge (Assessment = 0601 to 0699) and an interview must be conducted (ConductedInterview = 1).	-1 = N/A (Not Applicable) -5 = NOT ASKED ON PREVIOUS NOMS TOOL	 * Only asked when WhoAdministered = 12; otherwise set to -1. * This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only. 	* Coded only for questions not asked on previous versions of the CMHS NOMs tools.
SECTION G. SOCIAL CO			linte e e	N1/A	Applies advector on inf.	4 - Okanaka Diseana		
ListenAndUnderstand	G1a	I know people who will listen and understand me when I need to talk.	integer	N/A		1 = Strongly Disagree 2 = Disagree 3 = Undecided 4 = Agree 5 = Strongly Agree -1 = NA (Not Applicable) -7 = REFUSED 9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only.	

Field Name	Question Number	Description	Data	Longth	Validity	Value Descriptions	Edit and Skip Information	Creaseback
ComfortableTalking	G1b	Description I have people that I am comfortable talking	Type integer	Length N/A	Applies only when an interview	1 = Strongly Disagree	Edit and Skip information	Crosscheck
, j	-	with about my [my child's] problems.	5		was conducted	57 5		
					(ConductedInterview = 1).		* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						2 = Disagree 3 = Undecided		
						4 = Agree		
						5 = Strongly Agree -1 = N/A (Not Applicable)		
						-1 = N/A (Not Applicable) -7 = REFUSED		
						-9 = MISSING DATA		
SupportFromFamily	G1c		integer	N/A	Applies only when an interview	1 = Strongly Disagree		
		from family or friends.			was conducted (ConductedInterview = 1).		* This N/A code is not valid for data entry. It is for Data Download purposes only.	
					(conductodinion nom 1).	2 = Disagree	······································	
						3 = Undecided 4 = Agree		
						4 = Agree 5 = Strongly Agree		
						-1 = N/A (Not Applicable)		
						-7 = REFUSED		
EnjoyPeople	G1d	I have people with whom I can do enjoyable	integer	N/A	Applies only when an interview	-9 = MISSING DATA 1 = Strongly Disagree		
Enjoyr oopio	0.10	things.	intogoi		was conducted	· Stongly Diougroo		
					(ConductedInterview = 1).	a . Bi	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						2 = Disagree 3 = Undecided		
						4 = Agree		
						5 = Strongly Agree		
						-1 = N/A (Not Applicable) -7 = REFUSED		
						-9 = MISSING DATA		
SECTION H. PROGRAM								
		LECTING DATA ON ALL SECTION H QUES CONTACT YOUR GPO.	TIONS. Y	OUR GPO HA	AS PROVIDED YOU WITH GUIL	DANCE ON WHICH SPECIFIC SECTION H QUESTION	S YOU ARE TO COMPLETE.	
	H1_1a	In the past 30 days: how many times have	integer	N/A	Applies only at baseline,	0 - 30 = number of times		* Answered by the consumer at baseline,
Concidentededicide		you thought about killing yourself?	intogo.		reassessment or discharge			reassessment, and clinical discharge.
					(Assessment = 0600 to 0699).			
					Applies only when an interview was conducted			
					(ConductedInterview = 1)			
						-1 = N/A (Not Applicable) -7 = REFUSED	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-8 = DON'T KNOW		
						-9 = MISSING DATA		
AttemptedSuicide	H1_1b	In the past 30 days: how many times did you attempt to kill yourself?	integer	N/A	Applies only at baseline, reassessment or discharge	0 - 30 = number of times		* Answered by the consumer at baseline, reassessment, and clinical discharge.
		attempt to kill yoursell?			(Assessment = 0600 to 0699).			reassessment, and cirrical discharge.
					Applies only when an interview			
					was conducted (ConductedInterview = 1).			
					(Conductedinterview = 1).	-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-7 = REFUSED		
						-8 = DON'T KNOW -9 = MISSING DATA		
ConsideredSuicideCare	H1 1a Care	In the past 30 days: has your child	integer	N/A	Applies only at baseline,	1 = YES		* Answered by the caregiver at baseline,
giver		expressed thoughts to you about killing him	, i i i i i i i i i i i i i i i i i i i		reassessment or discharge			reassessment, and clinical discharge.
		or herself?			(Assessment = 0600 to 0699). Applies only when an interview			
					was conducted			
		ļ		ļ	(ConductedInterview = 1).	a. va		
		+		<u> </u>		2 = NO -1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-7 = REFUSED	The rest code to not valid for data only. It is for Data Download purposes only.	
-						-8 = DON'T KNOW		
AttemptedSuicideCaregi	H1 1b Coro	In the past 30 days: did your child attempt to	integor	N/A	Applies only at baseline,	-9 = MISSING DATA 1 = YES		* Answered by the caregiver at baseline,
ver	III_ID_Cale	kill himself or herself?	meger	IN/A	reassessment or discharge	1 = 165		reassessment, and clinical discharge.
					(Assessment = 0600 to 0699).			
					Applies only when an interview			
					was conducted (ConductedInterview = 1)			
					(2 = NO		
				l		-1 = N/A (Not Applicable) -7 = REFUSED	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-7 = REFUSED -8 = DON'T KNOW		
						-9 = MISSING DATA		
CurrentSamhsaGrantFu	H1_2a	Please indicate which type of funding	integer	N/A	Applies only at baseline,	1 = Yes		* Answered by the grantee staff at baseline,
nding		source(s) was (were)/will be used to pay for the services provided to this consumer			reassessment or discharge (Assessment = 0600 to 0699).			reassessment, and clinical discharge.
		since their last interview:			Applies only when an interview			
					was conducted			
		Current SAMHSA grant funding	-	+	(ConductedInterview = 1)	2 = No	1	
	i					-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-8 = DON'T KNOW		
1	L			1		-9 = MISSING DATA		1

	Question		Data					
Field Name	Number	Description	Туре	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
OtherFederalGrantFundi	H1_2b	Please indicate which type of funding	integer	N/A	Applies only at baseline,	1 = Yes		* Answered by the grantee staff at baseline,
ng		source(s) was (were)/will be used to pay for			reassessment or discharge			reassessment, and clinical discharge.
		the services provided to this consumer			(Assessment = 0600 to 0699).			
		since their last interview:			Applies only when an interview			
1		Others for descel successfully will be			was conducted (ConductedInterview = 1).			
		Other federal grant funding			(ConductedInterview = 1)	2 = No		
						-1 = N/A (Not Applicable)		
						-8 = DON'T KNOW		
						-9 = MISSING DATA		
StateFunding	H1_2c	Please indicate which type of funding	integer	N/A	Applies only at baseline,	1 = Yes		* Answered by the grantee staff at baseline,
ů.	-	source(s) was (were)/will be used to pay for	•		reassessment or discharge			reassessment, and clinical discharge.
		the services provided to this consumer			(Assessment = 0600 to 0699).			
		since their last interview:			Applies only when an interview			
					was conducted			
		State funding			(ConductedInterview = 1)	2 = No		
				-	1	-1 = N/A (Not Applicable)		
						-8 = DON'T KNOW		
						-9 = MISSING DATA		
ConsumerPrivateInsura	H1 2d	Please indicate which type of funding	integer	N/A	Applies only at baseline,	1 = Yes		* Answered by the grantee staff at baseline,
nce		source(s) was (were)/will be used to pay for			reassessment or discharge			reassessment, and clinical discharge.
		the services provided to this consumer			(Assessment = 0600 to 0699).			· •
		since their last interview:			Applies only when an interview			
					was conducted			
		Consumer's private insurance			(ConductedInterview = 1)			
						2 = No		
						-1 = N/A (Not Applicable)		
						-8 = DON'T KNOW -9 = MISSING DATA		
MedicaidMedicare	L11 0a	Please indicate which type of funding	integer	N/A	Applies only at baseline,	1 = Yes		* Answered by the grantee staff at baseline,
wedicaldwedicare	H1_2e	source(s) was (were)/will be used to pay for	integer	N/A	reassessment or discharge	1 = Yes		reassessment, and clinical discharge.
		the services provided to this consumer			(Assessment = 0600 to 0699).			reassessment, and clinical discharge.
		since their last interview:			Applies only when an interview			
					was conducted			
		Medicaid/Medicare			(ConductedInterview = 1).			
						2 = No		
						-1 = N/A (Not Applicable)		
						-8 = DON'T KNOW		
or						-9 = MISSING DATA		
OtherResponse	H1_2f	Please indicate which type of funding	integer	N/A	Applies only at baseline,	1 = Yes		* Answered by the grantee staff at baseline,
		source(s) was (were)/will be used to pay for the services provided to this consumer			reassessment or discharge (Assessment = 0600 to 0699).			reassessment, and clinical discharge.
		since their last interview:			Applies only when an interview			
		Sinde their last interview.			was conducted			
		Other (specify)			(ConductedInterview = 1).			
						2 = No		
						-1 = N/A (Not Applicable)		
						-8 = DON'T KNOW		
						-9 = MISSING DATA		
OtherResponseSpecify		Other (specify)	text	100		blank = N/A		
TraumaLossExperience	H2_1	As a result of treatment and services	integer	N/A		1 = Strongly Disagree		* Answered by the consumer/caregiver at baseline
sIdentifiedAddressed		received, my [my child's] trauma and/or loss experiences were identified and addressed.		1	was conducted (ConductedInterview = 1).			reassessment, and clinical discharge.
		experiences were identified and addressed.		1	(Conductediniterview = 1).			
						2 = Disagree		
						3 = Undecided		
				1		4 = Agree		
						5 = Strongly Agree		
						-1 = N/A (Not Applicable)		
						-7 = REFUSED		
						-8 = DON'T KNOW		
						-9 = MISSING DATA		
ProblemBehaviorsSympt	H2_2	As a result of treatment and services	integer	N/A	Applies only when an interview	1 = Strongly Disagree		* Answered by the consumer/caregiver at baseline
omsHaveDecreased		received for trauma and/or loss		1	was conducted			reassessment, and clinical discharge.
	1	experiences, my [my child's] problem		1	(ConductedInterview = 1).			1
				1	+	2 = Disagree	l	1
		behaviors/symptoms have decreased.						1
		behaviors/symptoms have decreased.						
		behaviors/symptoms have decreased.				3 = Undecided		
		behaviors/symptoms have decreased.				3 = Undecided 4 = Agree		
		behaviors/symptoms have decreased.				3 = Undecided 4 = Agree 5 = Strongly Agree		
		Denaviors/symptoms have decreased.				3 = Undecided 4 = Agree		
		Dehaviors/symptoms have decreased.				3 = Undecided 4 = Agree 5 = Strongly Agree -1 = N/A (Not Applicable)		

	Question		Data					
Field Name HaveShownImprovemen	Number	Description	Type	Length N/A	Validity	Value Descriptions 1 = Strongly Disagree	Edit and Skip Information	Crosscheck
tsInDailyLife	H2_3	As a result of treatment and services received, I [my child has] have shown improvement in daily life, such as in school	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	1 = Strongly Disagree		* Answered by the consumer/caregiver at baseline reassessment, and clinical discharge.
		or interacting with family or friends.				0.0		
						2 = Disagree 3 = Undecided		
						4 = Agree		
						5 = Strongly Agree		
						-1 = N/A (Not Applicable)		
						-7 = REFUSED		
						-8 = DON'T KNOW -9 = MISSING DATA		
BloodPressureSystolicR	H3 1a	Systolic blood pressure	integer	N/A	Always applies	11 - 320 (displayed in mmHg)		
esponse	110_1U	o yotono bioda procoaro	intogoi		, anayo appaoo			
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-7 = REFUSED		
						-8 = DON'T KNOW		
						-9 = MISSING DATA		
BloodPressureDiastolic	H3_1b	Diastolic blood pressure	integer	N/A	Always applies	11 - 200 (displayed in mmHg)		
Response						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-7 = REFUSED	This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-8 = DON'T KNOW		
						-9 = MISSING DATA		
Mainha Dana ana a	110.4-	147-1-64	linte non	N1/A	Ab			
WeightResponse	H3 1c	Weight	integer	N/A	Always applies	0 - 455 (displayed in kg) -1 = N/A (Not Applicable)		
						-7 = REFUSED	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-8 = DON'T KNOW		
						-9 = MISSING DATA		
HeightResponse	H3 1d	Height	integer	N/A	Always applies	0 - 250 (displayed in cm) -1 = N/A (Not Applicable)		
							* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-7 = REFUSED		
						-8 = DON'T KNOW		
						-9 = MISSING DATA		
WaistCircumferenceRe sponse	H3_1e	Waist circumference	integer	N/A	Always applies	0 - 200 (displayed in cm)		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-7 = REFUSED		
						-8 = DON'T KNOW		
						-9 = MISSING DATA		
ConsumerExperiencedF irstEpisodeOfPsychosis SinceLastInterviewYesN oDkResponseKey	H4_1	Has the consumer experienced a first episode of psychosis (FEP) since their last interview?	integer	N/A	Applies at reassessment and discharge (Assessment = 0601 to 0699).	1 = Yes		* Answered by the grantee staff at reassessment, and clinical discharge.
CDIR (COPORIDOR OF						2 = No		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-8 = DON'T KNOW		
						-9 = MISSING DATA		
ApproximateDateOfInitia IFirstEpisodeOfPsychosi s	H4_1a	Please indicate the approximate date that the consumer initially experienced the FEP.	text	7	Applies at reassessment and discharge (Assessment = 0601 to 0699).	Collected as MM/YYYY text format.	* Year portion must be in 4 digit format. * Only asked when ConsumerExperiencedFirstEpisodeOfPsychosisSinceLastInterviewYesNoDkRespon seKey = 1 : otherwise set to -1.	
		1	1		İ	01/01/1869 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	1
WasConsumerReferred ToFirstEpisodeOfPsych osisServicesYesNoDkR esponseKey	H4_1b	Was the consumer referred to FEP services?	integer	N/A	Applies at reassessment and discharge (Assessment = 0601 to 0699).	1 = Yes	* Only asked when ConsumerExperiencedFirstEpisodeOfPsychosisSinceLastInterviewYesNoDkRespon seKey = 1 ; otherwise set to -1.	* Answered by the grantee staff at reassessment, and clinical discharge.
Caponacitory						2 = No		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-8 = DON'T KNOW		
		1				-9 = MISSING DATA		1
DateOfInitialFirstEpisod eOfPsychosisServices	H4_1b1	Please indicate the date that the consumer first received FEP services/treatment.	text	7	Applies at reassessment and discharge (Assessment = 0601 to 0699).	Collected as MM/YYYY text format.	* Year portion must be in 4 digit format. * Only asked when WasConsumerReferredToFirstEpisodeOfPsychosisServicesYesNoDkResponseKey = 1 : otherwise set to NUI I	,
DateOfInitialFirstEpisod eOfPsychosisServicesN	H4_1b1	Please indicate the date that the consumer first received FEP services/treatment.	integer	N/A		-1 = N/A (Not Applicable)	 I colterwise set to NULL. * This N/A code is not valid for data entry. It is for Data Download purposes only. 	
onResponseKey						-8 = DON'T KNOW	* Only asked when DateOfInitialFirstEpisodeOfPsychosisServices is blank	1

	Question		Data					
Field Name	Number	Description	Туре	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
SECTION I. REASSESSI ReassessmentStatus 0		What is the Reassessment	linte en e	N/A	Retained for Data Download	11 = Completed interview within	* Only asked if reassessment interview date is within	*If ConductedInterview = 1 then
7	II_OLD	status of the consumer?	integer	N/A	purposes, but no longer applies. Applied only at reassessment (Assessment = 0601 to 0611)	11 = Completed interview within specified window	Ony asked in reassessment interview date is within correct reassessment window	ReassessmentStatus cannot = 21, 31.
						12 = Completed interview outside specified window 21 = Refused interview	* Only asked if reassessment interview date is outside correct reassessment window	*If ConductedInterview = 0 then ReassessmentStatus cannot = 11 or 12.
						31 = No contact within 90 days of last encounter 32 = Other (Specify)		* If ReassessmentStatus = 31 then this is the last reassessment for this episode of care.
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
OtherReassessment_07	I1_OLD	Other Reassessment status specify response	text	50	Retained for Data Download purposes, but no longer applies. Applied only at reassessment (Assessment = 0601 to 0611)	-1 = N/A (Not Applicable)	* Only asked if ReassessmentStatus = 32 ; otherwise set to -1. * This N/A code is not valid for data entry. It is for Data Download purposes only.	
NoContact90Days	11	Have you or other grant staff had contact with the consumer within 90 days of last encounter?	integer	N/A	Applies only at reassessment (Assessment = 0601 to 0611)	0 = No		* If the interview was conducted (ConductedInterview = 1), then grant staff cannot select No Contact for 90 days of last encounter (NoContact90days <> 0).
						1 = Yes		* If NoContact90Days = 0 then this is the last reassessment for this episode of care.
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the CMHS NOMs tools.
StillReceivingServices	12	Is the consumer still receiving services from your project?	integer	N/A	Applies only at reassessment (Assessment = 0601 to 0611)	0 = No 1 = Yes	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
SECTION J. CLINICAL	NISCHARGE STAT					-1 = N/A (Not Applicable)		
DischargeDate	J1	On what date was the consumer discharged? (Month and Year only)	text	7	Applies only at discharge (Assessment = 0699).	Collected as MMYYYY text format. Date entered will be converted to datetime with the day defaulted to the 15th. For MM: 01 - 12 = Jan - Dec	* Year portion must be in 4 digit format.	If ConductedInterview = 1 (yes), DischargeDate (Month and Year) ≥ current Discharge Interview Date's month and year. However, DischargeDate cannot be greater than 2 calendar months > Discharge Interview Date's month and year. If ConductedInterview = 0 (no), DischargeDate cannot be greater than 2 calendar months > Create Date's (date record was created in CMHS) month and year. * Discharge Date (Month and Year) ≥ previous interview's Interview Date's month and year. *Discharge Date (Month and Year) ≥ LastServiceDate
						01/01/1869 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
DischargeStatus	J2			2	Applies only at discharge (Assessment = 0699).	01 = Mutually agreed cessation of treatment 06 = Withdrew from/refused treatment 03 = No contact within 90 days of last encounter 04 = Clinically referred out 02 = Death 05 = Other (Specify) -1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	*If ConductedInterview = 1 then DischargeStatus cannot = 02 or 03.
OtherDischargeStatus	J2	Other discharge status specify response	text		Applies only at discharge (Assessment = 0699).	-1 = N/A (Not Applicable)	 * Only asked if DischargeStatus is 05; otherwise set to -1. * This N/A code is not valid for data entry. It is for Data Download purposes only. 	

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
SECTION K. SERVICES	RECEIVED			Longui				
LastBerviceDate	K	On what date did the consumer last receive services? (Month and Year only)	text	7	Applies only at reassessment or discharge (Assessment = 0601 to 0699).	Collected as MMYYYY text format. Date entered will be converted to datetime with the day defaulted to the 15th. For MM: 01 - 12 = Jan - Dec	* LastServiceDate must be ≤ current date (month and year). * Year portion must be in 4 digit format.	*LastServicesDate (Month and Year) ≥ FirstReceivedServicesDate (Month and Year), iff Assessment = 6062 to 0611 (Reassessment) and NoContact9DDays = 1 (Yes), then LastServicesDate (Month and Year) > previous assessment s LastServicesDate (Month and Year) AND/OR > previous assessment InterviewDate (Month and Year). *If Assessment = 0602 to 0611 (Reassessment) and NoContact9DDays = 0 (No), then LastServicesDate (Month and Year) > previous assessment is LastServicesDate (Month and Year) AND/OR > previous assessment's InterviewDate (Month and Year). *If Assessment = 0699 (Discharge), then LastServicesDate (Month and Year). *If InterviewConducted = 1 (Yes), then LastServicesDate (Month and Year). *If InterviewDate (Month and Year). *InterviewDate (Month and Year). *InterviewDate (Month and Year). *InterviewDate (Month and Year).
							* This N/A code is valid for data entry only when Record Management Q2.	
Svc_Screening	K1.1	Screening since last NOMs Interview?	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601 to 0699).	01/01/1869 = N/A (Not Applicable) 0 = No 1 = Yes -2 = Unknown -3 = Service Not Available -1 = N/A (Not Applicable)	ConductedInterview = 0 and WhyNotConducted = 3 or 5. * This N/A code is valid for data entry only when Record Management Q2. ConductedInterview = 0 and WhyNotConducted = 3 or 5.	
Svc_Assessment	K1.2	Assessment since last NOMs Interview?	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601 to 0699).	0 = No 1 = Yes -2 = Unknown -3 = Service Not Available -1 = N/A (Not Applicable)	* This N/A code is valid for data entry only when Record Management Q2. Conductedinterview = 0 and WhyNotConducted = 3 or 5.	
Svc_TreatmentPlanning		Treatment planning or review since last NOMs Interview?	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601 to 0699).	0 = No 1 = Yes -2 = Unknown -3 = Service Not Available -1 = N/A (Not Applicable)	* This N/A code is valid for data entry only when Record Management Q2. ConductedInterview = 0 and WhyNotConducted = 3 or 5.	
Svc_Psychopharmacolo gica I	K1.4	Psychopharmacological services since last NOMs Interview?	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601 to 0699).	0 = No 1 = Yes -2 = Unknown -3 = Service Not Available -1 = N/A (Not Applicable)	* This N/A code is valid for data entry only when Record Management Q2. ConductedInterview = 0 and WhyNotConducted = 3 or 5.	
Svc_MentalHealth	K1.5	Mental Health Services since last NOMs Interview?	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601 to 0699).	1 = Yes - 2 = Unknown - 3 = Service Not Available - 1 = N/A (Not Applicable)	* This N/A code is valid for data entry only when Record Management Q2. ConductedInterview = 0 and WhyNotConducted = 3 or 5.	

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
Svc_MentalHealthFreq_	K1.5a_OLD	Frequency of Mental Health Services	integer	N/A	Retained for Data Download	1 = Daily	* Only asked if Svc_MentalHealth = 1; otherwise set to -1.	Or Objective K
07					purposes, but no longer applies. Applies only at reassessment or discharge (Assessment = 0601 to 0699) and (NextReassessment <> 3)			
					and (SubmittedAtClinicalDischarge <>2).			
						2 = Weekly 3 = Less than Monthly		
						4 = Monthly		
						-1 = N/A (Not Applicable)	* This N/A code is valid for data entry only when Record Management Q2. ConductedInterview = 0 and WhyNotConducted = 3 or 5.	
						-4 = N/A - archived field	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
Svc_MentalHealthFreq	K1.5a	Mental Health Services number of times received	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601 to 0699).	0-99	* Only asked if Svc_MentalHealth = 1; otherwise set to -1.	* Coded only for questions not asked on previous versions of the CMHS NOMs tools.
					0001 (0 0000).	1 = Yes		
						-2 = Unknown -3 = Service Not Available		
						-1 = N/A (Not Applicable)	* This N/A code is valid for data entry only when Record Management Q2.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	ConductedInterview = 0 and WhyNotConducted = 3 or 5. * This N/A code is not valid for data entry. It is for Data Download purposes only.	
Svc_MH_FreqPeriod	K1.5b	Number of times per (Frequency period for number of times Mental Health Services were received)	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601 to 0699).	1 = Day	* Only asked if Svc_MentalHealth = 1; otherwise set to -1.	* Coded only for questions not asked on previous versions of the CMHS NOMs tools.
					,-	2 = Week		
						3 = Month 4 - Year		
						-2 = Unknown		
						-1 = N/A (Not Applicable)	 This N/A code is valid for data entry only when Record Management Q2. ConductedInterview = 0 and WhyNotConducted = 3 or 5. 	
Svc_CoOccuring	K1.6	Co-occurring services since last NOMs	integer	N/A	Applies only at reassessment	-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
Svc_cooccumig	1.0	Interview?	integer	N/A	or discharge (Assessment = 0601 to 0699).	1 = Yes	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						1 = Yes -2 = Unknown -3 = Service Not Available -1 = N/A (Not Applicable)		
Svc_CaseManagement	K1.7	Case Management since last NOMs Interview?	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601 to 0699).	0 = No	* This N/A code is valid for data entry only when Record Management Q2. ConductedInterview = 0 and WhyNotConducted = 3 or 5.	
						1 = Yes -2 = Unknown		
						-2 = Unknown -3 = Service Not Available -1 = N/A (Not Applicable)		
Svc_TraumaSpecific	K1.8	Trauma-specific services since last NOMs Interview?	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601 to 0699).	0 = No	* This N/A code is valid for data entry only when Record Management Q2. ConductedInterview = 0 and WhyNotConducted = 3 or 5.	
					,	1 = Yes		
						-2 = Unknown -3 = Service Not Available -1 = N/A (Not Applicable)		
Svc_ReferredCore	K1.9	Was the consumer referred to another provider for any of the above core services?	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601 to 0699).	0 = No	* This N/A code is valid for data entry only when Record Management Q2. ConductedInterview = 0 and WhyNotConducted = 3 or 5.	* Note: No cross-check with core services.
					,	1 = Yes		
						-2 = Unknown -3 = Service Not Available -1 = N/A (Not Applicable)		
Svc_MedicalCare	K2.1	Medical care services since last NOMs Interview?	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601 to 0699).	0 = No	* This N/A code is valid for data entry only when Record Management Q2. ConductedInterview = 0 and WhyNotConducted = 3 or 5.	
						1 = Yes -2 = Unknown -3 = Service Not Available		
Our Frankrauert	100	Four landstream in the state of	I	N1/A	A	-1 = N/A (Not Applicable)		
Svc_Employment	K2.2	Employment services since last NOMs Interview?	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601 to 0699).	0 = No	* This N/A code is valid for data entry only when Record Management Q2. ConductedInterview = 0 and WhyNotConducted = 3 or 5.	
						1 = Yes -2 = Unknown		
						-3 = Service Not Available		
		1			1	-1 = N/A (Not Applicable)		

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
Svc_Family	K2.3	Family services since last NOMs Interview?	integer	N/A	Applies only at reassessment	0 = No		OTO33CHECK
		,			or discharge (Assessment = 0601 to 0699).		* This N/A code is valid for data entry only when Record Management Q2. ConductedInterview = 0 and WhyNotConducted = 3 or 5.	
					· ·	1 = Yes	,	
						-2 = Unknown		
						-3 = Service Not Available -1 = N/A (Not Applicable)		
Svc_ChildCare	K2.4	Child care services since last NOMs	integer	N/A	Applies only at reassessment	0 = No		
ove_onidoare	112.4	Interview?	integer	10/2	or discharge (Assessment = 0601 to 0699).	0 - 10	* This N/A code is valid for data entry only when Record Management Q2. ConductedInterview = 0 and WhyNotConducted = 3 or 5.	
					00011000033).	1 = Yes		
						-2 = Unknown		
						-3 = Service Not Available		
						-1 = N/A (Not Applicable)		
Svc_Transportation	K2.5	Transportation services since last NOMs	integer	N/A	Applies only at reassessment	0 = No	This N/A and is unliked at a structure Depend Management OO	
		Interview?			or discharge (Assessment = 0601 to 0699).		* This N/A code is valid for data entry only when Record Management Q2. ConductedInterview = 0 and WhyNotConducted = 3 or 5.	
					0601 (0 0699).	1 = Yes	Conducted net view = 0 and with NotConducted = 3 or 5.	
						-2 = Unknown		
						-3 = Service Not Available		
						-1 = N/A (Not Applicable)		
Svc_Education	K2.6	Education services since last NOMs	integer	N/A	Applies only at reassessment	0 = No		
		Interview?			or discharge (Assessment =		* This N/A code is valid for data entry only when Record Management Q2. ConductedInterview = 0 and WhyNotConducted = 3 or 5.	
					0601 to 0699).	1 = Yes	Conducted interview = 0 and wrighted conducted = 3 or 5.	
						-2 = Unknown		
						-3 = Service Not Available		
						-1 = N/A (Not Applicable)		
Svc_Housing	K2.7	Housing services since last NOMs	integer	N/A	Applies only at reassessment	0 = No		
		Interview?			or discharge (Assessment =		* This N/A code is valid for data entry only when Record Management Q2. ConductedInterview = 0 and WhyNotConducted = 3 or 5.	
					0601 to 0699).	1 = Yes	Conducted interview = 0 and whyNotConducted = 3 or 5.	
						-2 = Unknown		
						-3 = Service Not Available		
						-1 = N/A (Not Applicable)		
Svc_SocialRecreationa	I K2.8	Social Recreational Activities since last	integer	N/A	Applies only at reassessment	0 = No		
		NOMs Interview?			or discharge (Assessment = 0601 to 0699).		* This N/A code is valid for data entry only when Record Management Q2. ConductedInterview = 0 and WhyNotConducted = 3 or 5.	
					0601 (0 0699).	1 = Yes	Conducted interview = 0 and wrighor Conducted = 3 or 5.	
						-2 = Unknown		
						-3 = Service Not Available		
						-1 = N/A (Not Applicable)		
Svc_ConsumerOperate	K2.9	Consumer Operated services since last	integer	N/A	Applies only at reassessment	0 = No	This MA and is well for data anter scherchen Descend Many	
d		NOMs Interview?			or discharge (Assessment = 0601 to 0699).		* This N/A code is valid for data entry only when Record Management Q2. ConductedInterview = 0 and WhyNotConducted = 3 or 5.	
					0001 10 0099).	1 = Yes	Conducted merview = 0 and wnyworConducted = 3 or 5.	
						-2 = Unknown		
						-1 = N/A (Not Applicable)		
Svc_HIVTesting	K2.10	HIV Testing services since last NOMs	integer	N/A	Applies only at reassessment	0 = No		
		Interview?			or discharge (Assessment =		* This N/A code is valid for data entry only when Record Management Q2.	
					0601 to 0699).	1 = Yes	ConductedInterview = 0 and WhyNotConducted = 3 or 5.	
						-2 = Unknown		
						-3 = Service Not Available		
						-1 = N/A (Not Applicable)		
Svc_ReferredSupport	K2.11	Was the Consumer referred to another	integer	N/A	Applies only at reassessment	0 = No		* Note: No cross-check with support services.
		provider for any of the above support			or discharge (Assessment =		* This N/A code is valid for data entry only when Record	
		services?			0601 to 0699).	1 = Yes	Management Q2. ConductedInterview = 0 and WhyNotConducted = 3 or 5.	
						1 = Yes -2 = Unknown		
						-2 = Unknown -1 = N/A (Not Applicable)		
	1		1	l			1	